

GeoPT39A – AN INTERNATIONAL PROFICIENCY TEST FOR ANALYTICAL GEOCHEMISTRY LABORATORIES – REPORT ON ROUND 39A (Nepheline syenite, MNS-1) / July 2016

Peter C. Webb¹*, Michael Thompson², Philip J. Potts¹, and Charles J. B. Gowing³

¹Department of Environment, Earth and Ecosystems, The Open University, Walton Hall, Milton Keynes, MK7 6AA, UK.

²School of Biological and Chemical Sciences, Birkbeck University of London, Malet Street, London WC1E 7HX, UK.

³British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, NG12 5GG, UK.

*Corresponding author: e-mail peter.webb@open.ac.uk

Keywords: proficiency testing, quality assurance, GeoPT, GeoPT39A, round 39, MNS-1, nepheline syenite

Abstract

Results are presented for GeoPT39A, the supplementary test material supplied in round thirty-nine of the International Association of Geoanalysts' Proficiency Testing programme for analytical geochemistry laboratories. The test material distributed in this round was a nepheline syenite, MNS-1, supplied by the Central Geological Laboratory, Mongolia. In fact this sample is a certified reference material, the nepheline syenite LNS (also listed as CGL 006). In this report, the data contributed from 102 laboratories are listed, together with an assessment of consensus values, consequent *z*-scores and charts to show the distribution of contributed results and the overall performance of participating laboratories.

Introduction

This thirty-ninth round of the international proficiency testing programme, GeoPT, was conducted in a similar manner to earlier rounds. The programme is designed to be part of the routine quality assurance procedures employed by analytical geochemistry laboratories. The programme is organised by the International Association of Geoanalysts and is conducted in accordance with a published protocol available at (<http://www.geoanalyst.org/documents/GeoPT-protocol.pdf>). The overall aim of the programme is to provide participating laboratories with *z*-score information for reported elemental determinations from which the laboratory can decide whether the quality of

their data is satisfactory in relation to both their chosen fitness-for-purpose criteria and the results submitted by other laboratories contributing to the round and can choose to take corrective action if this appears justified.

Steering Committee for Round 39A: P.C. Webb (results coordinator), M. Thompson (statistical advisor), P.J. Potts and C.J.B. Gowing (analytical advisors).

Timetable for Round 39A:

Distribution of sample: March 2016.

Results submission deadline: 10th June 2016.

Release of report: July 2016

Test Material details

GeoPT39A: The nepheline syenite test material, MNS-1, is in fact, the certified reference material (CRM) known as nepheline syenite LNS (also listed as CGL 006), obtained from the Central Geological Laboratory, Mongolia. Supplied in 100g portions, it was repackaged at BGS Keyworth, whereby portions were combined in pairs and divided 8 ways to provide 140 packets of test material. The test material had been evaluated for homogeneity by the originator, and characterized as a CRM in accordance with the accreditation requirements of the Mongolian National Agency for Metrology and Standardisation. As a result, the sample was considered suitable for use in this proficiency test.

Submission of results

3597 results were submitted for GeoPT39A (MNS-1) by 102 laboratories as listed in Table 1, where results designated as data quality 1 (see **Z-score analysis** section below) are shown in bold and results of data quality 2 are shown underlined. Results from all laboratories submitting data were used to assess respective assigned values. Regrettably, 3 laboratories reported 13 values of '0' (i.e. zero), for this round. We should emphasise that as stated in the **Instructions to Analysts**, such values should not be reported. These 13 values were excluded from consideration.

Assigned values

Although this sample is an established reference material, certified for 29 measurands (which, in principle, could be used as assigned values), it was decided that for consistency, the robust statistical procedures, as employed in earlier rounds of GeoPT, would be used to derive assigned mass fraction values [X_a] for this test sample. These procedures routinely provide the best available estimates of the true

composition of test materials in the GeoPT programme. Values were assigned on the basis that: i) sufficient laboratories had contributed data for an element, and ii) visual assessment gave confidence that the results distribution, outliers aside, was symmetrically disposed. Part of this assessment involved examining a bar chart of contributed data for each element to judge the distribution of results (as presented in Figures 1 and 2).

In view of there being evidence of bias in particular results for some measurands in the companion syenite test material, SyMP-1 (see GeoPT39 report), datasets were examined for evidence of multimodal distributions and unusual dispersion. For MNS-1 there were no comparable problems with Co or Ni, which have in this test material very low mass fractions, close to the detection limits for XRF analysis. However, it was found that for Zn there was a clear analytical bias involving XRF powder pellet measurements, reminiscent of the bias that affects Ni in SyMP-1. This bias is illustrated in Figure 0.1, where 29 XRF values specifically from powder pellets are below 93 mg/kg yet




Figure 0.1 Ordered Zn results distinguished by analytical procedure. See Appendix 2 for explanation of the key.

only two exceed that mass fraction. In contrast, measurements by a range of other analytical procedures including ICP-MS (acid digestion and fusion) and XRF fusion, provide just 11 values below 93 mg/kg but 36 above. On account of this bias in the XRF powder pellet data for Zn, the decision was taken to omit these data when estimating the consensus value for Zn, which was then based on the 47 remaining values. We speculate that this underestimate in the XRF powder pellet measurements could be due to Zn being present within sphalerite grains, where the absorption correction applied to characteristic Zn X-rays calculated on the basis of the average matrix composition would significantly underestimate the attenuation of Zn X-rays within those grains. No similar distribution of data had been noted for Zn in SyMP-1, although there was a similar mass fraction of Zn present in that test sample (see GeoPT39 report, Table 2).

Table 2 lists assigned and provisional values for 11 major components and 41 trace elements in GeoPT39A (MNS-1). Bar charts for the 52 elements/components of GeoPT39A that were judged to have satisfactory distributions such that consensus values could be designated as assigned or provisional values are shown in Figure 1. These are: SiO₂, TiO₂, Al₂O₃, Fe₂O₃T, MnO, MgO*, CaO, Na₂O, K₂O, P₂O₅*, LOI, As, Ba, Be, Bi, Ce, Co, Cr*, Cs, Dy, Er, Eu, Ga, Gd*, Hf, Hg*, Ho, La, Li, Lu, Mo*, Nb, Nd, Ni, Pb, Pr, Rb, Sb, Sm, Sn*, Sr, Ta, Tb, Th, Tl*, Tm, U, V, W*, Y, Yb, Zn* and Zr. Of these, provisional values were given to the 10 marked **. The designation of provisional status was made because either i) a relatively small number of measurements contributed to the consensus, or ii) the results were unduly dispersed in relation to the target value, or iii) the distribution of values was notably skewed, or iv) the dataset was reduced after the exclusion of data judged to be biased.

In 12 cases the robust mean was used to define the consensus value, but in 34 cases the median value was preferred. In 6 cases a mode was judged to provide the most satisfactory consensus value, three of which (Co, Ce, Ta) were suitable for the value to be assigned, the

others being given provisional status (see Table 2). As for GeoPT39, the procedure used to determine the mode involved the estimation of the mass fraction that corresponds to the maximum value of the kernel density distribution for the dataset in order to obtain a consensus value that represents the most coherent part of the data distribution.

Bar charts for the 15 elements/components: Fe(II)O, H₂O⁺, Ag, B, Br, C(tot), Cd, Cl, Cu, F, Ge, Ni, S, Sc and Te are plotted in Figure 2 for information only, as the quantity of data was insufficient, the distribution too highly skewed or too variable for the reliable determination of a consensus.

Z-score analysis

As in previous rounds, laboratories were invited to choose one of two performance standards against which their analytical results would be judged:

Data quality 1 for laboratories working to a 'pure geochemistry' standard of performance, where analytical results are designed for geochemical research and where care is taken to provide data of high precision and accuracy, sometimes at the expense of a reduced sample throughput rate. For GeoPT39A, 1442 results of data quality 1 were submitted.

Data quality 2 for laboratories working to an 'applied geochemistry' standard of performance, where, although precision and accuracy are still important, the main objective is to provide results on large numbers of samples collected, for example, as part of geochemical mapping projects or geochemical exploration programmes. For GeoPT39A, 2155 results of data quality 2 were submitted.

The target standard deviation (H_a) for each element assessed was calculated from a modified form of the Horwitz function as follows:

$$H_a = k \cdot X_a^{0.8495}$$

where X_a is the mass fraction of the element expressed as a *fraction*; the factor $k = 0.01$ for pure geochemistry labs and $k = 0.02$ for applied geochemistry labs.

Z-scores were calculated for each elemental result submitted by each laboratory from:

$$z = [X - X_a] / H_a$$

where X is the contributed result, X_a is the assigned value and H_a is the target standard deviation (all as mass fractions).

Z-score results for contributors to GeoPT39A are listed in Table 3. Results designated as data quality 1 are shown in bold: results of data quality 2 are shown underlined. Where z-scores are derived from provisional values, they are shown in italics.

Participating laboratories are invited to assess their performance using the following criteria: Z-score results in the range $-2 < z < 2$ are considered to be 'satisfactory' (in the sense that no action is called for by the participant). If the z-score for any element falls outside this range, especially if it is outside the range $-3 < z < 3$, it would be advisable for the contributing laboratory to examine its procedures, and if necessary, take action to ensure that determinations are not subject to unsuspected analytical bias.

Overall performance

A summary of the overall performance of individual laboratories for this round is plotted in multiple z-score charts in Figure 3. In these charts, the z-score performance for each element is distinguished by symbols that make it simple to identify whether the results were satisfactory or gave z-scores that exceeded the action limits. This chart is designed to help individual laboratories to judge their overall performance in this proficiency testing round. Participants should always review their z-scores in accord with their own fitness-for-purpose criteria.

Participation in future rounds

The benefit from proficiency testing arises from regular participation and laboratories are invited to contribute to the GeoPT40 round, the test sample for which will be distributed during September 2016.

Acknowledgements

The authors thank Liz Lomas for much-valued assistance in distributing this sample and the Central Geological Laboratory, Mongolia for co-operation in the provision of 35 jars of the nepheline syenite CRM, designated LNS (CGL 006).

Appendix 1

Publication status of proficiency testing reports.
Previous reports are available for download from the IAG website (<http://www.geoanalyst.org/>).

GeoPT1

Thompson M., Potts P.J., Kane J.S. and Webb P.C. (1996) GeoPT1. International proficiency test for analytical geochemistry laboratories - Report on round 1. Geostandards Newsletter: The Journal of Geostandards and Geoanalysis, 20, 295-325.

GeoPT2

Thompson M., Potts P.J., Kane J.S., Webb P.C. and Watson, J.S. (1998) GeoPT2. International proficiency test for analytical geochemistry laboratories - Report on round 2. Geostandards Newsletter: The Journal of Geostandards and Geoanalysis, 22 127-156.

GeoPT3

Thompson M., Potts P.J., Kane J.S. and Chappell B.W. (1999a) GeoPT3. International proficiency test for analytical geochemistry laboratories - Report on round 3. Geostandards Newsletter: The Journal of Geostandards and Geoanalysis, 23, 87-121.

GeoPT4

Thompson M., Potts P.J., Kane J.S., Webb P.C. and Watson J.S. (1999b) GeoPT4. International proficiency test for analytical geochemistry laboratories - Report on round 4. Published in the electronic version of Geostandards Newsletter: The Journal of Geostandards and Geoanalysis (Summer 2000).

GeoPT5

Thompson M., Potts P.J., Kane J.S., and Wilson S. (1999c) GeoPT5. International proficiency test for analytical geochemistry laboratories - Report on round 5. Published in the electronic version of Geostandards Newsletter: The Journal of Geostandards and Geoanalysis (Summer 2000).

GeoPT6

Potts P.J., Thompson M., Kane J.S., Webb P.C. and Carignan J. (2000) GEOPT6 - an international proficiency test for analytical geochemistry laboratories - report on round 6 (OU-3: Nanhoron microgranite) and 6A (CAL-S: CRPG limestone). International Association of Geoanalysts: Unpublished report.

GeoPT7

Potts P.J., Thompson M., Kane J.S., and Petrov L.L. (2000) GEOPT7 - an international proficiency test for analytical geochemistry laboratories - report on round 7 (GBPG-1 Garnet-biotite plagiogneiss). International Association of Geoanalysts: Unpublished report.

GeoPT8

Potts P.J., Thompson M., Kane J.S., Webb, P.C. and Watson J.S. (2000) GEOPT8 - an international proficiency test for analytical geochemistry laboratories - report on round 8 / February 2001 (OU-4 Penmaenmawr microdiorite). International Association of Geoanalysts: Unpublished report.

GeoPT9

Potts P.J., Thompson M., Webb, P.C. and Watson J.S. (2001) GEOPT9 - an international proficiency test for analytical geochemistry laboratories - report on round 9 / July 2001 (OU-6 Penrhyn slate). International Association of Geoanalysts: Unpublished report.

GeoPT10

Potts P.J., Thompson M., Webb, P.C., Watson J.S. and Wang Yimin (2001) GEOPT10 - an international proficiency test for analytical geochemistry laboratories - report on round 10 / December 2001 (CH-1 Marine sediment). International Association of Geoanalysts: Unpublished report.

GeoPT11

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Watson J.S. (2002) GEOPT11 - an international proficiency test for analytical geochemistry laboratories - report on round 11 / July 2002 (OU-5 Leatton dolerite). International Association of Geoanalysts: Unpublished report.

GeoPT12

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Batjargal B. (2003) GEOPT12 - an international proficiency test for analytical geochemistry laboratories - report on round 12 / January 2003 (GAS Serpentinite). International Association of Geoanalysts: Unpublished report.

GeoPT13

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Kaspar H.U. (2003) GEOPT13 - an international proficiency test for analytical geochemistry laboratories - report on round 13 / July 2003 (Köln Loess). International Association of Geoanalysts: Unpublished report.

GeoPT14

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and B. Batjargal (2004) GeoPT14 - an international proficiency test for analytical geochemistry laboratories - report on round 14 / January 2004 (OShBO - alkaline granite). International Association of Geoanalysts: Unpublished report.

GeoPT15

Potts P.J., Thompson M., Chenery S.R., Webb, P.C. and Wang Yimin (2004) GeoPT15 - an international proficiency test for analytical geochemistry laboratories - report on round 15 / June 2004 (Ocean floor sediment MSAN). International Association of Geoanalysts: Unpublished report.

GeoPT16

Potts P.J., Thompson M., Webb, P.C. and S. Wilson (2005) GeoPT16 - an international proficiency test for analytical geochemistry laboratories - report on round 16 / February 2005 (Nevada basalt, BNV-1). International Association of Geoanalysts: Unpublished report.

GeoPT17

Potts P.J., Thompson M., Webb, P.C. and J. Nicholas Walsh (2005) GeoPT17 - an international proficiency test for analytical geochemistry laboratories - report on round 17 / July 2005 (Calcareous sandstone, OU-8). International Association of Geoanalysts: Unpublished report.

GeoPT18

Webb, P.C., Thompson M., Potts P.J. and L. Paul Bedard (2006) GeoPT18 - an international proficiency test for analytical geochemistry laboratories - report on round 18 / Jan 2006 (Quartz Diorite, KPT-1). International Association of Geoanalysts: Unpublished report.

GeoPT19

Webb, P.C., Thompson M., Potts P.J. and B. Batjargal (2006) GeoPT19 - an international proficiency test for analytical geochemistry laboratories - report on round 19 / July 2006 (Gabbro, MGR-N). International Association of Geoanalysts: Unpublished report.

GeoPT20

Webb, P.C., Thompson M., Potts P.J. and M. Burnham (2007) GeoPT20 - an international proficiency test for analytical geochemistry laboratories - report on round 20 / Jan 2007 (Ultramafic rock, OPY-1). International Association of Geoanalysts: Unpublished report.

GeoPT21

Webb, P.C., Thompson M., Potts P.J. and B. Batjargal (2007) GeoPT21 - an international proficiency test for analytical geochemistry laboratories - report on round 21 / July 2007 (Granite, MGT-1). International Association of Geoanalysts: Unpublished report.

GeoPT22

Webb, P.C., Thompson, M., Potts, P.J. and Batjargal, B. (2008) GeoPT22 - an international proficiency test for analytical geochemistry laboratories - report on round 22 / January 2008 (Basalt, MBL-1). International Association of Geoanalysts: Unpublished report.

GeoPT23

Webb, P.C., Thompson, M., Potts, P.J., Watson, J.S. and Kriete, C. (2008) GeoPT23 - an international proficiency test for analytical geochemistry laboratories - report on round 23 / September 2008 (Separation Lake pegmatite, OU-9) and 23A (Manganese nodule, FeMn-1). International Association of Geoanalysts: Unpublished report.

GeoPT24

Webb, P.C., Thompson, M., Potts, P.J. and Watson, J.S. (2009) GeoPT24 - an international proficiency test for analytical geochemistry laboratories - report on round 24 / January 2009 (Longmyndian greywacke, OU-10). International Association of Geoanalysts: Unpublished report.

GeoPT25

Webb, P.C., Thompson, M., Potts, P.J. and Enzweiler, J. (2009) GeoPT25 - an international proficiency test for analytical geochemistry laboratories - report on round 25 / July 2009 (Basalt, HTP-1). International Association of Geoanalysts: Unpublished report.

GeoPT26

Webb, P.C., Thompson, M., Potts, P.J. and Loubser, M. (2010) GeoPT26 - an international proficiency test for analytical geochemistry laboratories - report on round 26 / January 2010 (Ordinary Portland cement, OPC-1). International Association of Geoanalysts: Unpublished report.

GeoPT27

Webb, P.C., Thompson, M., Potts, P.J. and Batjargal, B. (2010) GeoPT27 - an international proficiency test for analytical geochemistry laboratories - report on round 27 / July 2010 (Andesite, MGL-AND). International Association of Geoanalysts: Unpublished report.

GeoPT28

Webb, P.C., Thompson, M., Potts, P.J. and Wilson, S. (2011) GeoPT28 - an international proficiency test for analytical geochemistry laboratories - report on round 28 / January 2011 (Shale, SBC-1). International Association of Geoanalysts: Unpublished report.

GeoPT29

Webb, P.C., Thompson, M., Potts, P.J. and Wilson, S. (2011) GeoPT29 - an international proficiency test for analytical geochemistry laboratories - report on round 29 / July 2011 (Nepheline, NKT-1). International Association of Geoanalysts: Unpublished report.

GeoPT30

Webb, P.C., Thompson, M., Potts, P.J., Long, D. and Batjargal, B. (2012) GeoPT30 - an international proficiency test for analytical geochemistry laboratories - report on round 30 / January 2012 (Syenite, CG-2) and 30A (Limestone, ML-2). International Association of Geoanalysts: Unpublished report.

GeoPT31

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2012)
GeoPT31 - an international proficiency test for analytical geochemistry laboratories - report on round 31 / July 2012 (Modified river sediment, SdAR-1). International Association of Geoanalysts: Unpublished report.

GeoPT32

Webb, P.C., Thompson, M., Potts, P.J and Webber, E. (2013)
GeoPT32 - an international proficiency test for analytical geochemistry laboratories - report on round 32 / January 2013 (Woodstock Basalt, WG-1). International Association of Geoanalysts: Unpublished report.

GeoPT33

Webb, P.C., Thompson, M., Potts, P.J., Prusisz, B., and Young, K. (2013)
GeoPT33 - an international proficiency test for analytical geochemistry laboratories - report on round 33 / July-August 2013 (Ball Clay, DBC-1). International Association of Geoanalysts: Unpublished report.

GeoPT34

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)
GeoPT34 - an international proficiency test for analytical geochemistry laboratories - report on round 34 (Granite, GRI-1) / January 2014. International Association of Geoanalysts: Unpublished report.

GeoPT35

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)
GeoPT35 - an international proficiency test for analytical geochemistry laboratories - report on round 35 (Tonalite, TLM-1) / August 2014. International Association of Geoanalysts: Unpublished report.

GeoPT35A

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2014)
GeoPT35A - an international proficiency test for analytical geochemistry laboratories - report on round 35A (Metalliferous sediment, SdAR-H1) / August 2014. International Association of Geoanalysts: Unpublished report.

GeoPT36

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2015)
GeoPT36 - an international proficiency test for analytical geochemistry laboratories - report on round 36 (Gabbro, GSM-1) / January 2015. International Association of Geoanalysts: Unpublished report.

GeoPT36A

Webb, P.C., Thompson, M., Potts, P.J and Wilson, S. (2015)
GeoPT36A - an international proficiency test for analytical geochemistry laboratories - report on round 36A (Metal-rich sediment, SdAR-M2) / January 2015. International Association of Geoanalysts: Unpublished report.

GeoPT37

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Burnham, M. (2015)
GeoPT37 - an international proficiency test for analytical geochemistry laboratories - report on round 37 (Rhyolite, ORPT-1) / July 2015. International Association of Geoanalysts: Unpublished report.

GeoPT37A

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S. (2015)
GeoPT37A - an international proficiency test for analytical geochemistry laboratories - report on round 37A (Blended sediment, SdAR-L2) / July 2015. International Association of Geoanalysts: Unpublished report.

GeoPT38

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2016)
GeoPT38 - an international proficiency test for analytical geochemistry laboratories - report on round 38 (Gabbro, OU-7) / January 2016. International Association of Geoanalysts: Unpublished report.

GeoPT38A

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Meisel, T. (2016)
GeoPT38A - an international proficiency test for analytical geochemistry laboratories – special report on round 38A (Modified harzburgite, HARZ01) / June 2016. International Association of Geoanalysts: Unpublished report.

GeoPT39

Webb, P.C., Thompson, M., Potts, P.J, Gowing, C.J.B. and Wilson, S.A. (2016)
GeoPT39 - an international proficiency test for analytical geochemistry laboratories - report on round 39 (Syenite, SyMP-1) / July 2016. International Association of Geoanalysts: Unpublished report.

Appendix 2. Explanation of key to Figure 0.1.**Analytical technique**

ICP-MS — Inductively coupled plasma – mass spectrometry

ICP-OES/AES — Inductively coupled plasma – optical emission spectrometry

WD(ED)XRF — Wavelength dispersive (energy dispersive) X-ray fluorescence spectrometry

INAA — Instrumental neutron activation analysis

FLAAS — Flame atomic absorption spectrometry

Other — Unspecified

Sample preparation

AD — Acid digestion including special digestion

FM — Fusion of material before digestion or of residual material after digestion in combination and sintering

PP — Powder pellet

FD — Fusion disc

Fitness for purpose

Pure — Quality 1 data

Applied — Quality 2 data

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V2	V3	V4	V5	V6	V8	V9	V11	V12	V13	V14	V15	V17	
SiO ₂	g 100g ⁻¹	52.39	<u>51.86</u>	51.39	50.9	<u>53.7</u>	<u>52.95</u>	<u>51.71</u>	<u>51.67</u>	<u>51.73</u>		52.05	51.1	51.66
TiO ₂	g 100g ⁻¹	0.33	<u>0.33</u>	0.3	0.347	<u>0.37</u>	<u>0.35</u>	<u>0.347</u>	<u>0.34</u>	<u>0.35</u>		0.35	0.33	0.34
Al ₂ O ₃	g 100g ⁻¹	22.34	<u>22.48</u>	22.08	22.65	<u>21.9</u>	<u>22.89</u>	<u>22.6</u>	<u>22.46</u>	<u>22.37</u>		22.82	22.95	22.38
Fe ₂ O ₃ T	g 100g ⁻¹	2.18	<u>2.66</u>	2.59	2.731	<u>2.88</u>	<u>2.54</u>	<u>2.59</u>	<u>2.6</u>	<u>2.61</u>		2.65	2.93	2.61
Fe(II)O	g 100g ⁻¹	0.52												0.81
MnO	g 100g ⁻¹	0.13	<u>0.14</u>	0.14	0.14	<u>0.15</u>	<u>0.126</u>	<u>0.141</u>	<u>0.14</u>	<u>0.14</u>		0.14	0.145	0.14
MgO	g 100g ⁻¹	0.21	<u>0.27</u>	0.22	0.21	<u>0.31</u>	<u>0.233</u>	<u>0.205</u>	<u>0.26</u>	<u>0.21</u>		0.24	0.33	0.25
CaO	g 100g ⁻¹	2.04	<u>2.18</u>	2.25	2.18	<u>2.46</u>	<u>2.35</u>	<u>2.27</u>	<u>2.26</u>	<u>2.26</u>		2.27	2.34	2.26
Na ₂ O	g 100g ⁻¹	6.91	<u>6.99</u>	6.85	6.8	<u>6.8</u>	<u>7.26</u>	<u>6.95</u>	<u>6.98</u>	<u>6.92</u>		6.77	6.56	7
K ₂ O	g 100g ⁻¹	9.13	<u>9.02</u>	8.94	9.207	<u>8.76</u>	<u>8.91</u>	<u>9.04</u>	<u>9.08</u>	<u>9.28</u>		9.11	9.3	9.15
P ₂ O ₅	g 100g ⁻¹	0.043	<u>0.035</u>	0.03	0.042	<u>0.06</u>	<u>0.04</u>	<u>0.04</u>	<u>0.04</u>			0.038	0.029	0.03
H ₂ O+	g 100g ⁻¹												0.31	0.2
CO ₂	g 100g ⁻¹						<u>1.26</u>							1.25
LOI	g 100g ⁻¹	3.32	<u>3.35</u>	<u>3.47</u>		<u>3.1</u>	<u>3.47</u>		<u>3.15</u>	<u>3.23</u>		3.13	3.35	3.3
Ag	mg kg ⁻¹													0.6
As	mg kg ⁻¹	28.8		19.4	21.1		27.98		24.2				20.5	
Au	mg kg ⁻¹													
B	mg kg ⁻¹													
Ba	mg kg ⁻¹	414	<u>427</u>	402	437	<u>345</u>	<u>420</u>		<u>474</u>	<u>388</u>	435	400	416	
Be	mg kg ⁻¹	11.3	<u>9.37</u>			<u>7.7</u>	<u>8.62</u>		<u>8.37</u>		9.14	10.3	8.1	
Bi	mg kg ⁻¹	1.38							<u>0.99</u>		1.16			
Br	mg kg ⁻¹			2										
C(org)	mg kg ⁻¹													0.02
C(tot)	mg kg ⁻¹						<u>3770</u>							0.34
Cd	mg kg ⁻¹	0.65										0.5	0.18	
Ce	mg kg ⁻¹	282	<u>266</u>	264.8	282.7	<u>293.1</u>	<u>248</u>		<u>306</u>		311	314	287	
Cl	mg kg ⁻¹		<u>1137</u>				<u>2113</u>							
Co	mg kg ⁻¹	1.49	<u>1.64</u>			1.533	<u>2.1</u>	<u>1.53</u>		<u>1.5</u>		1.6	1.26	1.4
Cr	mg kg ⁻¹	45	<u>40.9</u>	38.8	43.53	<u>45.4</u>	<u>26.1</u>		<u>33</u>	<u>32</u>	44.6	44	48.7	
Cs	mg kg ⁻¹	12.4	<u>11.2</u>			12.13	<u>11.6</u>			<u>12.9</u>		12.7	11.1	
Cu	mg kg ⁻¹	1.51	<u>4.1</u>	7.2	6.3	<u>6.2</u>	<u>3.55</u>		<u>3.6</u>		4.17	13	16.1	
Dy	mg kg ⁻¹	3.86	<u>4.35</u>			4.04	<u>4.1</u>	<u>4.1</u>		<u>4.45</u>		4.51	4.23	5.41
Er	mg kg ⁻¹	1.94	<u>2.17</u>			1.783	<u>2.1</u>	<u>2.15</u>		<u>2.33</u>		2.32	2.55	2.07
Eu	mg kg ⁻¹	2.27	<u>2.47</u>			2.433	<u>2.5</u>	<u>2.45</u>		<u>2.59</u>		2.78	2.42	2.54
F	mg kg ⁻¹			<u>7571</u>			<u>4140</u>							
Ga	mg kg ⁻¹	21.5	<u>23.2</u>	20.3	23.7	<u>19.9</u>			<u>22.8</u>	<u>20</u>	23.4	24		
Gd	mg kg ⁻¹	7.09	<u>8.1</u>			6.4	<u>8.5</u>	<u>7.33</u>		<u>6.9</u>		6.24	6.33	7.07
Ge	mg kg ⁻¹		<u>1.21</u>	1.8										
Hf	mg kg ⁻¹		<u>10.2</u>			5.743	<u>9.5</u>	<u>10.4</u>		<u>10.8</u>		10.7	7.08	
Hg	mg kg ⁻¹					0.48								
Ho	mg kg ⁻¹	0.7	<u>0.75</u>			0.627	<u>0.8</u>	<u>0.73</u>		<u>0.8</u>		0.81	0.765	0.74
I	mg kg ⁻¹													
In	mg kg ⁻¹													
La	mg kg ⁻¹	159	<u>150</u>	145.7	161	<u>161</u>	<u>154</u>		<u>174.5</u>		171	165	146.9	
Li	mg kg ⁻¹	59.6	<u>58.7</u>			55.87		<u>58.4</u>		<u>58.8</u>		57.6	51	52
Lu	mg kg ⁻¹	0.28	<u>0.32</u>			0.267	<u>0.3</u>	<u>0.3</u>		<u>0.3</u>		0.34	0.319	0.295
Mo	mg kg ⁻¹			<u>4.4</u>		3.607	<u>3.7</u>	<u>3.55</u>		<u>4.18</u>		4.12		5
Nb	mg kg ⁻¹	45.5	<u>44.3</u>	39.4	33.9	<u>42.7</u>	<u>46.01</u>		<u>41.9</u>		47.7	35		
Nd	mg kg ⁻¹	86	<u>90.3</u>	81.7	83.97	<u>88.7</u>	<u>82.9</u>		<u>96.3</u>		96.6	89.2	79.8	
Ni	mg kg ⁻¹		<u>2.34</u>	3.5			<u>3.6</u>	<u>3.02</u>				3.26		3.4
Pb	mg kg ⁻¹	105	<u>122</u>	102.7	125.3	<u>70.1</u>	<u>105</u>		<u>124</u>	<u>109</u>	133	128	109	
Pd	mg kg ⁻¹													
Pr	mg kg ⁻¹	28.4	<u>28.6</u>			27.87	<u>26.9</u>	<u>25.8</u>		<u>29.5</u>		31.8	28.2	26.14
Rb	mg kg ⁻¹	221	<u>174</u>	189.1	186	<u>182.1</u>	<u>186</u>		<u>199.5</u>		196	187		
Re	mg kg ⁻¹													
S	mg kg ⁻¹			<u>1120</u>			<u>1613</u>		<u>0.18</u>					1730
Sb	mg kg ⁻¹	2.75					<u>3.05</u>		<u>2.91</u>					
Sc	mg kg ⁻¹	0.73	<u>0.98</u>				<u>0.3</u>				0.45			1.04
Se	mg kg ⁻¹													
Sm	mg kg ⁻¹	10.7	<u>11.1</u>	11	10.47	<u>11.1</u>	<u>10.9</u>		<u>12</u>		12.1	11.24	11.39	
Sn	mg kg ⁻¹	1.6					<u>0.7</u>					1.65		
Sr	mg kg ⁻¹	1740	<u>1706</u>	1596.500	1756.700	<u>1357</u>	<u>1724</u>		<u>1725</u>	<u>1765</u>	1821	1641	1537	
Ta	mg kg ⁻¹		<u>1.94</u>	3		<u>1.7</u>	<u>3.4</u>		<u>1.9</u>		2.09	1.02		
Tb	mg kg ⁻¹	0.78	<u>0.88</u>			0.76	<u>0.9</u>	<u>0.85</u>		<u>0.87</u>		0.87	0.867	1.42
Te	mg kg ⁻¹													
Th	mg kg ⁻¹	52.3	<u>60.2</u>	52.2	60.43	<u>61.2</u>	<u>62.18</u>		<u>63.2</u>		70.8			
Tl	mg kg ⁻¹	1.84				2.18	<u>1.1</u>		<u>2.01</u>		2.49	1.8		
Tm	mg kg ⁻¹	0.28	<u>0.31</u>			0.25	<u>0.3</u>	<u>0.298</u>		<u>0.32</u>		0.33	0.307	0.28
U	mg kg ⁻¹	11.2	<u>13.4</u>	16.6	13.2	<u>12.4</u>	<u>13.65</u>		<u>13.55</u>		14.1	12.5		
V	mg kg ⁻¹	30.1	<u>29.4</u>	24.7	28.67	<u>29.2</u>	<u>26.5</u>			<u>27</u>	31	36	26.1	
W	mg kg ⁻¹	6.2		3.4		<u>5.1</u>								
Y	mg kg ⁻¹	27.5	<u>25.8</u>	26.2		<u>25.7</u>	<u>24.5</u>		<u>25.5</u>		27.9	23.95	23.8	
Yb	mg kg ⁻¹	1.86	<u>2.1</u>			1.67	<u>2.1</u>	<u>1.98</u>		<u>2.31</u>		2.21	2.09	1.8
Zn	mg kg ⁻¹	102	<u>91.7</u>	70.9	98.83	<u>154.9</u>	<u>95.9</u>		<u>105</u>	<u>98</u>	97.1	96	110	
Zr	mg kg ⁻¹	597	<u>631</u>	578.8	287	<u>571.1</u>	<u>584</u>		<u>672</u>	<u>624</u>	645	565	579	

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V18	V19	V20	V21	V23	V24	V25	V27	V28	V29	V30	V31	V32
SiO ₂	g 100g ⁻¹	<u>52</u>	51.28	51.72	53.11		52.21	52.1	51.3		53.91	51.4	52.17
TiO ₂	g 100g ⁻¹	<u>0.35</u>	0.34	0.35	0.28		0.34	0.35	0.347	0.36	0.31	0.339	0.31
Al ₂ O ₃	g 100g ⁻¹	<u>22.2</u>	22.26	22.66	22.4		22.06		22		21.09	22.3	22.72
Fe ₂ O ₃ T	g 100g ⁻¹	<u>2.61</u>	2.67	2.61	1.78		2.715	2.63	2.47	3.05	2.33	2.61	2.53
Fe(II)O	g 100g ⁻¹												
MnO	g 100g ⁻¹	<u>0.14</u>	0.13	0.13	0.1		0.141	0.13	0.133	0.14	0.12	0.136	0.13
MgO	g 100g ⁻¹	<u>0.07</u>	0.24	0.29	0.27		0.143	0.44	0.397	0.37	0.01	0.171	
CaO	g 100g ⁻¹	<u>2.29</u>	2.28	2.2	2.13		2.265	2.09	2.91	2.73	2.58	2.24	2.08
Na ₂ O	g 100g ⁻¹	<u>7.23</u>	6.8	6.89	7.3		6.804	6.63	7.33	7.56	7.59	6.76	6.45
K ₂ O	g 100g ⁻¹	<u>9.21</u>	9.17	9.09	9.28		8.942		9.35	10.3	8.54	9.02	9.37
P ₂ O ₅	g 100g ⁻¹	<u>0.039</u>	0.05	0.04	0.04		0.029	0.06			0.04	0.038	0.02
H ₂ O+	g 100g ⁻¹	<u>13</u>		0.32									
CO ₂	g 100g ⁻¹												2.528
LOI	g 100g ⁻¹	<u>3.27</u>	3.16	3.48	1.28		3.39	2.91	3.32		3.21	3.2	3.37
Ag	mg kg ⁻¹	<u>0.6</u>										0.13	
As	mg kg ⁻¹	<u>27</u>	25								26.2	21.4	
Au	mg kg ⁻¹												
B	mg kg ⁻¹												
Ba	mg kg ⁻¹	<u>341</u>	438		678		456	390		428	420	430	347
Be	mg kg ⁻¹	<u>8.5</u>			8.27		9.02				7.9	8.5	6.82
Bi	mg kg ⁻¹	<u>2.62</u>											
Br	mg kg ⁻¹												
C(org)	mg kg ⁻¹												
C(tot)	mg kg ⁻¹	<u>3200</u>		0.31							2840	6900	
Cd	mg kg ⁻¹	<u>0.27</u>				0.1					0.2		
Ce	mg kg ⁻¹	<u>313</u>	310		293.5	298	307.2			206	265	289	298.450
Cl	mg kg ⁻¹	<u>1610</u>										1596	
Co	mg kg ⁻¹	<u>2</u>			27		1.51			1.28	5.2		
Cr	mg kg ⁻¹	<u>24</u>	44		26		34.56			36.1	74.4	38.8	
Cs	mg kg ⁻¹	11.9			13.6	15.01				11.6	12.6	11.8	
Cu	mg kg ⁻¹	<u>14.4</u>			2	1.49				4.23	7.7		
Dy	mg kg ⁻¹	<u>4.64</u>			4.55	4.2	4.22			3.65	4.1	3.84	4.25
Er	mg kg ⁻¹	<u>2.4</u>			2.03	2.1	2.09			1.82	2	1.8	2.29
Eu	mg kg ⁻¹	<u>3.06</u>			2.57	2.7	2.56			2.19	2.4	2.62	2.66
F	mg kg ⁻¹	<u>4400</u>										4484	
Ga	mg kg ⁻¹	<u>25.3</u>	22		28	34.6	21.43				33	19.4	26
Gd	mg kg ⁻¹	<u>9.17</u>			7.56	4.8	5.63			6.6	6.8	6.33	10.66
Ge	mg kg ⁻¹	<u>0.3</u>			1.02	2.5					5.9		0.94
Hf	mg kg ⁻¹	<u>7.21</u>			9.89		9.33				5.2	9.47	7.24
Hg	mg kg ⁻¹												0.768
Ho	mg kg ⁻¹	<u>1.07</u>			0.73	0.8	0.76				0.73	0.747	0.69
I	mg kg ⁻¹												
In	mg kg ⁻¹	<u>0.07</u>											
La	mg kg ⁻¹	<u>198</u>	201		168.1	165	172.3			112	147	163	162.550
Li	mg kg ⁻¹	<u>55</u>					69.15				58.7		
Lu	mg kg ⁻¹	<u>0.56</u>			0.33	0.3	0.3			0.25	0.23	0.29	0.33
Mo	mg kg ⁻¹	<u>2.44</u>			4.59		5.28				10	3.42	
Nb	mg kg ⁻¹	<u>45.4</u>	35		33	40.3	48.5				47.1	42.4	43
Nd	mg kg ⁻¹				90.52	95.9	94.2			77.3	84.5	85.7	92.63
Ni	mg kg ⁻¹	<u>3.9</u>	2		7	1.91				1.78	72.6		11
Pb	mg kg ⁻¹	<u>88.6</u>	121		71		92			97.1	139	114	120
Pd	mg kg ⁻¹												
Pr	mg kg ⁻¹	<u>30.2</u>			29.85	31.1	30.62			24	27.2	26.4	27.59
Rb	mg kg ⁻¹	<u>150</u>	200		213	184	184.9	160		199	227	184	164
Re	mg kg ⁻¹												
S	mg kg ⁻¹	<u>900</u>									579	600	
Sb	mg kg ⁻¹	<u>4.52</u>			3.6						4.7	2.5	
Sc	mg kg ⁻¹	<u>0.6</u>			4	7	0.69				9.6		
Se	mg kg ⁻¹										1		
Sm	mg kg ⁻¹	<u>11.9</u>			11.1	11.9	11.47			9.93	10.7	12	11.65
Sn	mg kg ⁻¹	<u>1.8</u>				2.4					2.2	2.2	1.75
Sr	mg kg ⁻¹	<u>1320</u>	1756		1657		1772	1600		1774	2172	1686	1672
Ta	mg kg ⁻¹	<u>3.16</u>			1.44	2.4	2.3				2.3	1.79	5.19
Tb	mg kg ⁻¹	<u>1.34</u>			1.02	1.2	0.81			0.67	0.8	0.805	1.09
Te	mg kg ⁻¹	<u>0.61</u>											
Th	mg kg ⁻¹	<u>62.7</u>	61		13	65.9	63.8			55.1	54	60.2	70
Tl	mg kg ⁻¹	<u>1.5</u>										1.1	
Tm	mg kg ⁻¹	<u>0.52</u>			0.32	0.3				0.26	0.31	0.289	0.34
U	mg kg ⁻¹	<u>8.2</u>	13		12.84	13	14.05			11.1	12.7	12.2	11.82
V	mg kg ⁻¹	<u>29</u>	23		25		28.26			25	27	12.2	23
W	mg kg ⁻¹	<u>7.7</u>			6.28	6.8						5.73	
Y	mg kg ⁻¹	<u>27.2</u>	24		25	24.2	27.62			18.2	78	18.7	33
Yb	mg kg ⁻¹	<u>2.5</u>			2.07	2.8	2.12			1.75	2.1	1.77	2.1
Zn	mg kg ⁻¹	<u>107</u>	82		81		102.7			94.2	92	78.6	90
Zr	mg kg ⁻¹	<u>283</u>	556		554		579	560			782	569	566

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V33	V34	V36	V37	V38	V40	V41	V42	V44	V46	V49	V50	V51
SiO ₂	g 100g ⁻¹	51.47		52.22	51.609	52.379	44.4	33.8	51.38	53.25	51.9	51.93	51.56
TiO ₂	g 100g ⁻¹	0.346		0.36	0.34	0.352	0.35	4.42	0.35	0.33	0.35	0.32	0.35
Al ₂ O ₃	g 100g ⁻¹	22.48		23.67	22.21	23.258	23.4	8.7	22.3	23.13	22.61	22.53	22.13
Fe ₂ O ₃ T	g 100g ⁻¹	2.66		2.93	2.594	2.746	2.01	9.33	2.66	2.68	2.69	2.55	2.88
Fe(II)O	g 100g ⁻¹											1.1	
MnO	g 100g ⁻¹	0.124		0.13	0.115	0.145	0.1	0.73	0.14	0.13	0.15	0.13	0.14
MgO	g 100g ⁻¹	0.25		0.03	0.15	0.25	0.12		0.26	0.33	0.13	0.26	0.27
CaO	g 100g ⁻¹	2.28		2.33	2.273	2.331	3.35	3.89	2.25	2.78	2.22	2.3	2.34
Na ₂ O	g 100g ⁻¹	6.85		7.99	7.154	7.052	6.95	6.67	7.98	7.33	6.86	7	7.14
K ₂ O	g 100g ⁻¹	9.09		9.76	9.141	9.375	8.27	25.1	9.11	8.25	9.39	9.15	8.93
P ₂ O ₅	g 100g ⁻¹	0.034		0.05	0.039		0.03	1.25	0.04	0.04	0.02	0.04	0.16
H ₂ O+	g 100g ⁻¹											2	
CO ₂	g 100g ⁻¹											1.09	
LOI	g 100g ⁻¹	3.32		3.39	3.053	3.24		3.28		3.6	3.21	3.09	3.41
Ag	mg kg ⁻¹						0.77	0.26					
As	mg kg ⁻¹						22	27		21	19.8	24	
Au	mg kg ⁻¹												
B	mg kg ⁻¹										124		
Ba	mg kg ⁻¹	447		422.9	634	369	317.870	434	481	499	424.7	417	398
Be	mg kg ⁻¹								9.35	8.63	1.63	7.1	
Bi	mg kg ⁻¹								2.6			0.9	
Br	mg kg ⁻¹	8							3.25				
C(org)	mg kg ⁻¹												
C(tot)	mg kg ⁻¹	2239		2866								3370	
Cd	mg kg ⁻¹	6					2.4					0.25	
Ce	mg kg ⁻¹	286	229.9	285.9		246		295	296.240	280	296	323	
Cl	mg kg ⁻¹	2100				1206	1138					1892	
Co	mg kg ⁻¹								1.4	5		1.5	
Cr	mg kg ⁻¹	48		40.5		42	144	50.7	29	37	42	71	50
Cs	mg kg ⁻¹						45.53					13.1	
Cu	mg kg ⁻¹	2				4	2.09	3.43	11	5		4.38	
Dy	mg kg ⁻¹	3.96						4.39	4.07	3.99		4	
Er	mg kg ⁻¹	1.73						2.26	2.33	2.17	2.17		
Eu	mg kg ⁻¹	2.29						2.68	3.3	2.41	2.71		
F	mg kg ⁻¹	4050											
Ga	mg kg ⁻¹	22				22		20.9	24		20		20
Gd	mg kg ⁻¹		7.17					8.23	9.13	9.52	6.4		
Ge	mg kg ⁻¹								0.82	6	1		
Hf	mg kg ⁻¹	12						11.1	11.56		11		12
Hg	mg kg ⁻¹								0.665			0.61	
Ho	mg kg ⁻¹	0.66						0.79	0.79	0.7	0.81		
I	mg kg ⁻¹	1											
In	mg kg ⁻¹												
La	mg kg ⁻¹	160	124.6	163.7		153		169	180.240	159.1	172	167	
Li	mg kg ⁻¹							45.1		40	56		
Lu	mg kg ⁻¹		0.26					0.33	0.32	0.29	0.32		
Mo	mg kg ⁻¹	3					1.32	4.15	3.79	4	5		
Nb	mg kg ⁻¹	33		37.9		42	5.62	39.8	26	56	43	38	38
Nd	mg kg ⁻¹	84		122.2				95.5	92.62	84	92.4		
Ni	mg kg ⁻¹	Z						2.66	6	21	8		
Pb	mg kg ⁻¹	110		108.4		58	19.44	113	121		104.2	116	108
Pd	mg kg ⁻¹						2.81						
Pr	mg kg ⁻¹	31	20.92	29.2				30.2	28.55	24.12	31.2		
Rb	mg kg ⁻¹	182		198.8		186	204	186	171		194	198	199
Re	mg kg ⁻¹												
S	mg kg ⁻¹	1661		1444	1878	905	498			1400	1540		
Sb	mg kg ⁻¹	9					17.7	2.66			2.7		
Sc	mg kg ⁻¹	10							5	0.3			
Se	mg kg ⁻¹								6.05				
Sm	mg kg ⁻¹	16	8.51					12	11.38	10.6	11.62		
Sn	mg kg ⁻¹					5	6.47	1.9	1.42	10	4		
Sr	mg kg ⁻¹	1698		1759		1692	12.76	1693	1657	675	1737	1681	1762
Ta	mg kg ⁻¹	Z						2.1	1.72		1.9		
Tb	mg kg ⁻¹	1.04						0.89	1.05	0.9	0.89		
Te	mg kg ⁻¹						53						
Th	mg kg ⁻¹	39		59.1		36	3.67	71.2	63	67.9	63.5		58
Tl	mg kg ⁻¹						496.410	2.21			2.2		
Tm	mg kg ⁻¹		0.24					0.32	0.33	0.3	0.33		
U	mg kg ⁻¹	9		6.1		10	2.71	14.4	11.88		13.8		13
V	mg kg ⁻¹	23					184	21.8	23	11	31	23	29
W	mg kg ⁻¹						126	5.4	6.51	39	7		
Y	mg kg ⁻¹	28	28.14	24.9		29	15	23.9	25	19	24.8	26	23
Yb	mg kg ⁻¹	1.58						2.12	2.21	1.96	2.07		
Zn	mg kg ⁻¹	91		89.5		83	80.33	73.2	87	28.4	88.4	92	96
Zr	mg kg ⁻¹	547		577.8	753	551	68.62	544	619		579	551	636

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V52	V53	V54	V57	V58	V59	V60	V61	V63	V66	V67	V68	V70
SiO ₂	g 100g ⁻¹	<u>52.01</u>		<u>51.24</u>	<u>52.19</u>	<u>52.27</u>		<u>51.787</u>	<u>51.27</u>	<u>52.4</u>	<u>51.61</u>	<u>52.44</u>	<u>51.871</u>
TiO ₂	g 100g ⁻¹	<u>0.346</u>		<u>0.361</u>	<u>0.37</u>	<u>0.29</u>		<u>0.343</u>	<u>0.35</u>	<u>0.327</u>	<u>0.35</u>	<u>0.359</u>	<u>0.362</u>
Al ₂ O ₃	g 100g ⁻¹	<u>22.62</u>		<u>22.38</u>	<u>22.32</u>	<u>22.11</u>		<u>22.589</u>	<u>22.75</u>	<u>22.1</u>	<u>22.72</u>	<u>23.22</u>	<u>22.674</u>
Fe ₂ O ₃ T	g 100g ⁻¹	<u>2.66</u>		<u>2.625</u>	<u>2.745</u>	<u>2.5</u>		<u>2.616</u>	<u>2.76</u>	<u>2.59</u>	<u>2.63</u>	<u>2.735</u>	<u>2.749</u>
Fe(II)O	g 100g ⁻¹			<u>0.821</u>									<u>2.25</u>
MnO	g 100g ⁻¹	<u>0.143</u>		<u>0.133</u>	<u>0.125</u>	<u>0.12</u>		<u>0.138</u>	<u>0.14</u>	<u>0.134</u>	<u>0.14</u>	<u>0.135</u>	<u>0.145</u>
MgO	g 100g ⁻¹	<u>0.27</u>		<u>0.22</u>	<u>0.265</u>	<u>0.25</u>		<u>0.308</u>	<u>0.22</u>	<u>0.235</u>	<u>0.27</u>	<u>0.199</u>	<u>0.234</u>
CaO	g 100g ⁻¹	<u>2.299</u>		<u>2.233</u>	<u>2.4</u>	<u>2.34</u>		<u>2.283</u>	<u>2.2</u>	<u>2.28</u>	<u>2.3</u>	<u>2.336</u>	<u>2.22</u>
Na ₂ O	g 100g ⁻¹	<u>6.68</u>		<u>7.002</u>	<u>7.145</u>	<u>7.39</u>		<u>7.023</u>	<u>7.13</u>	<u>6.78</u>	<u>6.61</u>	<u>7.02</u>	<u>6.892</u>
K ₂ O	g 100g ⁻¹	<u>8.718</u>		<u>9.22</u>	<u>9.44</u>	<u>9.08</u>		<u>9.087</u>	<u>9.02</u>	<u>8.97</u>	<u>8.82</u>	<u>9.05</u>	<u>9.11</u>
P ₂ O ₅	g 100g ⁻¹	<u>0.032</u>		<u>0.039</u>	<u>0.028</u>	<u>0.03</u>		<u>0.035</u>	<u>0.02</u>	<u>0.027</u>		<u>0.042</u>	<u>0.04</u>
H ₂ O+	g 100g ⁻¹			<u>2.429</u>									
CO ₂	g 100g ⁻¹			<u>1.142</u>									
LOI	g 100g ⁻¹	<u>3.3</u>		<u>3.52</u>	<u>3.09</u>	<u>3.08</u>		<u>3.325</u>	<u>3.33</u>	<u>3.2</u>	<u>3.15</u>	<u>2.2</u>	<u>3.12</u>
Ag	mg kg ⁻¹												<u>0.27</u>
As	mg kg ⁻¹	<u>22.3</u>			<u>22.2</u>			<u>20.921</u>	<u>20.8</u>				<u>22</u>
Au	mg kg ⁻¹												
B	mg kg ⁻¹												<u>24</u>
Ba	mg kg ⁻¹	<u>415</u>	<u>416</u>	<u>435</u>	<u>408.5</u>	<u>438</u>	<u>418.850</u>	<u>407.485</u>	<u>405</u>	<u>432</u>		<u>326</u>	<u>414</u>
Be	mg kg ⁻¹			<u>7.79</u>				<u>9.704</u>		<u>8.83</u>		<u>9.41</u>	
Bi	mg kg ⁻¹					<u>1.1</u>		<u>0.873</u>					
Br	mg kg ⁻¹					<u>2.5</u>							
C(org)	mg kg ⁻¹			<u>449</u>									<u>680</u>
C(tot)	mg kg ⁻¹			<u>3569</u>	<u>2900</u>								<u>0.043</u>
Cd	mg kg ⁻¹					<u>0.9</u>		<u>0.061</u>	<u>4</u>				
Ce	mg kg ⁻¹	<u>288</u>	<u>230</u>		<u>282.7</u>	<u>300</u>	<u>311.550</u>	<u>294.432</u>	<u>278</u>	<u>290</u>		<u>317.890</u>	
Cl	mg kg ⁻¹												<u>2210</u>
Co	mg kg ⁻¹					<u>1.9</u>		<u>1.571</u>	<u>2</u>	<u>0.99</u>		<u>1.75</u>	<u>2.6</u>
Cr	mg kg ⁻¹	<u>42.5</u>				<u>44.8</u>	<u>42</u>		<u>43.520</u>	<u>40</u>	<u>20.4</u>		<u>48</u>
Cs	mg kg ⁻¹	<u>12</u>	<u>11.88</u>			<u>32.1</u>		<u>12.92</u>	<u>12.269</u>	<u>22</u>	<u>12.1</u>		<u>12</u>
Cu	mg kg ⁻¹	<u>22</u>	<u>2.4</u>		<u>6.3</u>	<u>10</u>		<u>3.651</u>	<u>5</u>	<u>3.6</u>		<u>4.23</u>	<u>4</u>
Dy	mg kg ⁻¹			<u>3</u>		<u>3.7</u>	<u>4.38</u>	<u>4.230</u>		<u>4.38</u>		<u>4.15</u>	
Er	mg kg ⁻¹			<u>1.56</u>		<u>2.3</u>	<u>2.29</u>	<u>2.090</u>		<u>2.17</u>		<u>2.16</u>	
Eu	mg kg ⁻¹			<u>1.8</u>		<u>2.4</u>	<u>2.6</u>	<u>2.722</u>		<u>2.76</u>		<u>2.53</u>	
F	mg kg ⁻¹			<u>3976</u>									<u>3400</u>
Ga	mg kg ⁻¹	<u>22.8</u>				<u>19.9</u>	<u>21</u>	<u>23.44</u>	<u>21.747</u>	<u>21</u>			<u>23.63</u>
Gd	mg kg ⁻¹			<u>4.76</u>			<u>7</u>	<u>9.81</u>	<u>6.567</u>		<u>7.89</u>		<u>6.61</u>
Ge	mg kg ⁻¹										<u>1.32</u>		<u>1.19</u>
Hf	mg kg ⁻¹			<u>10.4</u>		<u>9</u>		<u>11.26</u>	<u>9.875</u>	<u>6</u>	<u>10.7</u>		<u>12.77</u>
Hg	mg kg ⁻¹	<u>0.502</u>		<u>0.561</u>		<u>0.68</u>							<u>0.544</u>
Ho	mg kg ⁻¹			<u>0.54</u>			<u>0.9</u>	<u>0.8</u>	<u>0.771</u>		<u>0.88</u>		<u>0.76</u>
I	mg kg ⁻¹												
In	mg kg ⁻¹												
La	mg kg ⁻¹	<u>160</u>	<u>126</u>		<u>159.6</u>	<u>173</u>	<u>169.680</u>	<u>167.065</u>	<u>163</u>	<u>166</u>		<u>149.510</u>	
Li	mg kg ⁻¹			<u>51.6</u>		<u>57</u>		<u>53.621</u>				<u>54</u>	
Lu	mg kg ⁻¹			<u>0.252</u>		<u>0.3</u>	<u>0.34</u>	<u>0.327</u>		<u>0.44</u>		<u>0.34</u>	
Mo	mg kg ⁻¹					<u>3.8</u>		<u>4.594</u>	<u>4</u>	<u>5.39</u>		<u>5.32</u>	<u>9</u>
Nb	mg kg ⁻¹	<u>40.8</u>	<u>38.9</u>		<u>37.6</u>	<u>51</u>	<u>41.93</u>	<u>46.312</u>	<u>38</u>	<u>39.8</u>		<u>49.81</u>	<u>52.8</u>
Nd	mg kg ⁻¹	<u>84</u>	<u>66.6</u>		<u>76.6</u>	<u>89</u>	<u>92.95</u>	<u>89.310</u>	<u>81</u>	<u>91.7</u>		<u>95.4</u>	
Ni	mg kg ⁻¹					<u>1.8</u>	<u>43</u>		<u>1.911</u>	<u>3</u>	<u>2</u>	<u>4.68</u>	<u>7</u>
Pb	mg kg ⁻¹	<u>115</u>	<u>103</u>		<u>104.7</u>			<u>114.307</u>	<u>118</u>	<u>152</u>		<u>120</u>	<u>146</u>
Pd	mg kg ⁻¹												
Pr	mg kg ⁻¹			<u>21.2</u>		<u>27</u>	<u>29.85</u>	<u>29.894</u>		<u>28</u>		<u>29.83</u>	
Rb	mg kg ⁻¹	<u>182</u>	<u>194</u>		<u>188.4</u>	<u>196</u>	<u>196.4</u>	<u>216.949</u>	<u>200</u>	<u>721</u>		<u>194</u>	<u>218</u>
Re	mg kg ⁻¹												
S	mg kg ⁻¹					<u>170</u>		<u>0.169</u>		<u>1700</u>			<u>1830</u>
Sb	mg kg ⁻¹	<u>2.1</u>				<u>5.3</u>		<u>2.662</u>	<u>7</u>				<u>2.79</u>
Sc	mg kg ⁻¹			<u>4.75</u>			<u>4</u>		<u>5</u>	<u>0.8</u>			
Se	mg kg ⁻¹												
Sm	mg kg ⁻¹	<u>16.7</u>	<u>7.7</u>		<u>10.7</u>	<u>14</u>	<u>11.81</u>	<u>11.593</u>	<u>9</u>	<u>11.6</u>		<u>12.44</u>	
Sn	mg kg ⁻¹	<u>0.98</u>				<u>2.9</u>		<u>1.52</u>	<u>1.360</u>	<u>11</u>			<u>1.74</u>
Sr	mg kg ⁻¹	<u>1684</u>	<u>1530</u>	<u>1537</u>	<u>1678.200</u>	<u>1738</u>	<u>1874.560</u>	<u>1934.925</u>	<u>1737</u>	<u>1730</u>		<u>1755</u>	<u>1718</u>
Ta	mg kg ⁻¹			<u>1.768</u>		<u>2.3</u>		<u>2.23</u>	<u>1.988</u>	<u>3</u>			<u>2.07</u>
Tb	mg kg ⁻¹			<u>0.683</u>		<u>0.8</u>		<u>1.19</u>	<u>0.818</u>		<u>1.11</u>		<u>0.82</u>
Te	mg kg ⁻¹					<u>0.6</u>		<u>0.041</u>	<u>5</u>				
Th	mg kg ⁻¹	<u>68</u>	<u>56</u>		<u>57.2</u>	<u>51</u>	<u>64.63</u>	<u>62.150</u>	<u>61</u>	<u>57.1</u>		<u>54</u>	<u>55</u>
Tl	mg kg ⁻¹							<u>1.789</u>		<u>1.09</u>			<u>0.24</u>
Tm	mg kg ⁻¹						<u>1</u>	<u>0.35</u>	<u>0.321</u>		<u>0.44</u>		<u>0.32</u>
U	mg kg ⁻¹	<u>15</u>	<u>11.76</u>		<u>18.2</u>	<u>12</u>	<u>14.33</u>	<u>13.456</u>	<u>15.7</u>	<u>11.9</u>		<u>14</u>	
V	mg kg ⁻¹	<u>32.3</u>				<u>17.5</u>	<u>30</u>		<u>27.353</u>	<u>26</u>	<u>26</u>	<u>24</u>	<u>26</u>
W	mg kg ⁻¹					<u>6.1</u>		<u>5.98</u>	<u>6.500</u>	<u>12</u>	<u>5</u>		<u>6.56</u>
Y	mg kg ⁻¹	<u>27.5</u>	<u>18.5</u>		<u>25.2</u>	<u>26</u>	<u>24.78</u>	<u>26.265</u>	<u>26</u>	<u>23.8</u>		<u>15</u>	<u>32</u>
Yb	mg kg ⁻¹			<u>1.6</u>		<u>1.2</u>	<u>2</u>	<u>2.14</u>	<u>2.116</u>		<u>2.29</u>		<u>2.24</u>
Zn	mg kg ⁻¹	<u>97.3</u>				<u>78.5</u>	<u>94</u>		<u>94.746</u>	<u>85</u>	<u>93.6</u>	<u>110</u>	<u>84</u>
Zr	mg kg ⁻¹	<u>610</u>	<u>647</u>		<u>565.4</u>	<u>594</u>	<u>634.250</u>	<u>650.662</u>	<u>589</u>	<u>567</u>		<u>626</u>	<u>666</u>
													<u>515</u>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V71	V72	V73	V74	V75	V76	V77	V78	V80	V82	V83	V84	V85		
SiO ₂	g 100g ⁻¹	51.7	52.36	51.57	50.7	51.81	50.26	51.55	51	52.54	51.61		52.96	53.307	
TiO ₂	g 100g ⁻¹	0.31	0.36	0.35	0.255	0.35	0.338	0.344	0.33	0.25	0.35		0.351	0.348	
Al ₂ O ₃	g 100g ⁻¹	22.4	22.64	22.02	22.3	22.51	21.87	22.5	22.35	23.55	23.36		24.1	23.003	
Fe ₂ O ₃ T	g 100g ⁻¹	2.56	2.67	2.65	2.19	2.67	2.73	2.654	2.522	2.12	2.67		2.435	2.696	
Fe(II)O	g 100g ⁻¹	1.04	1.02	1.3									1.175		
MnO	g 100g ⁻¹	0.134	0.14	0.14	0.13	0.15	0.141	0.133	0.14	0.13	0.13		0.131	0.143	
MgO	g 100g ⁻¹	0.38	0.22	0.22		0.27	0.233	0.227	0.26	0.36	0.2		0.379	0.219	
CaO	g 100g ⁻¹	2.29	2.32	2.28	2.24	2.28	2.13	2.264	2.22	2.12	2.22		2.262	2.405	
Na ₂ O	g 100g ⁻¹	7.4	6.98	7.06		6.96	7.05	7.031	7.04	8.07	6.94		6.907	7.078	
K ₂ O	g 100g ⁻¹	9.4	9.16	9.07	8.66	9.05	8.9	9.253	9.46	9.66	9.06		9.162	9.363	
P ₂ O ₅	g 100g ⁻¹	0.04	0.03	0.087		0.041	0.04	0.032	0.04	0.06	0.04		0.036		
H ₂ O+	g 100g ⁻¹		1.73	2.02											
CO ₂	g 100g ⁻¹			1.36											
LOI	g 100g ⁻¹	3.15	3.06			2.98		3.296	3.23	3.16	3.36		1.3	3.2	
Ag	mg kg ⁻¹		0.1			0.14							0.173		
As	mg kg ⁻¹		20.2	34		24.7			22.9			25.7	22.94		
Au	mg kg ⁻¹					0.002									
B	mg kg ⁻¹	46	48			85									
Ba	mg kg ⁻¹	420	428	412	370	427	429	415	354.2			409.4	349.4	438.2	
Be	mg kg ⁻¹	8.6	8.4			9						9.421	8.6		
Bi	mg kg ⁻¹		1.16	2		1.05							0.943		
Br	mg kg ⁻¹												1.9		
C(org)	mg kg ⁻¹														
C(tot)	mg kg ⁻¹	0.22				0.34	3258						3081		
Cd	mg kg ⁻¹		0.098			2.7	0.19						0.152		
Ce	mg kg ⁻¹	280	300	277	249	286	298		262.3			278	246	292.460	
Cl	mg kg ⁻¹			980											
Co	mg kg ⁻¹		1.58	3	194	1.7						2	1.353	1.48	
Cr	mg kg ⁻¹	43	41.3	65	196	27	48	79	36			44.6	35.9	39.78	
Cs	mg kg ⁻¹		12.9	17		13.1			19			12.8	11.44	12.05	
Cu	mg kg ⁻¹		5.77	4	55.2	4			6.7				3.245		
Dy	mg kg ⁻¹		4.76			4.3							3.403	3.95	
Er	mg kg ⁻¹		2.34			2.1							1.7	2.13	
Eu	mg kg ⁻¹		2.55		6.5	2.8							2.101	2.48	
F	mg kg ⁻¹			3594											
Ga	mg kg ⁻¹		21.6	23	14.1	23			21.3			21.4	24.37	23.16	
Gd	mg kg ⁻¹		8.3		30.5	6.2							9.622	7.41	
Ge	mg kg ⁻¹		1			0.8							1.661		
Hf	mg kg ⁻¹	10	10.5	16		9.9							7.641	9.59	
Hg	mg kg ⁻¹		0.65			0.7									
Ho	mg kg ⁻¹		0.88			0.8							0.609	0.73	
I	mg kg ⁻¹			2.4											
In	mg kg ⁻¹				0.02								0.017		
La	mg kg ⁻¹	162	170	161	136	175.6	168		153.3			172.8	145.2	160.230	
Li	mg kg ⁻¹	53	50.9			56.2							49.47		
Lu	mg kg ⁻¹		0.33			0.3							0.268	0.3	
Mo	mg kg ⁻¹		4.76	2		4.6						5.03	4.207	4.2	
Nb	mg kg ⁻¹	40	40.9	44	30	44			37.6			42.16	37.59	36.19	
Nd	mg kg ⁻¹		91.2	80	71.1	101.4			183.1				83.54	87.83	
Ni	mg kg ⁻¹		3.66	7		2.7							3.7	1.848	
Pb	mg kg ⁻¹	114	115	124	147	122.5			110.2			122.9	120.480	112.190	
Pd	mg kg ⁻¹														
Pr	mg kg ⁻¹		31.8		12.5	30.8							25.71	28.3	
Rb	mg kg ⁻¹	191	212	191	186	198			183.1			190.940	154.5	181.010	
Re	mg kg ⁻¹				0.003								0.005		
S	mg kg ⁻¹			488		1700	1350			0.11			1205	1307.700	
Sb	mg kg ⁻¹		2.18			2.91			4.2				2.773		
Sc	mg kg ⁻¹		0.32	3									4.477		
Se	mg kg ⁻¹												1.611		
Sm	mg kg ⁻¹		11.8			12.3							9.247	10.89	
Sn	mg kg ⁻¹		1.28	4		1.6							1.328	1.31	
Sr	mg kg ⁻¹	1751	1520	1716	1670	1792		1621	1690.900	0.4		1679.080	1602.100	1798.900	
Ta	mg kg ⁻¹		1.87	1		1.8							1.856	1.75	
Tb	mg kg ⁻¹		1.07			0.9							0.809	0.86	
Te	mg kg ⁻¹												0.084		
Th	mg kg ⁻¹		61.4	52	51.5	62			63.4				58.8	52.21	57.85
Tl	mg kg ⁻¹		2			2.1							1.868	0.63	
Tm	mg kg ⁻¹		0.34			0.3							0.267	0.29	
U	mg kg ⁻¹		11.9	10	16.6	13.4			18.9				11.9	12.3	12.66
V	mg kg ⁻¹		30.5	31		26.5	29		21				22.9	24.54	37.4
W	mg kg ⁻¹		4.85	1		7							5.34		
Y	mg kg ⁻¹	25	24.9	15	22.1	25	23		22				23.32	22.12	22.84
Yb	mg kg ⁻¹		2.06			2.1							1.745	2.02	
Zn	mg kg ⁻¹		97.5	89	87	94	102	137	79.1				85.75	86.51	100.1
Zr	mg kg ⁻¹	568	693	596	569	636	648	601	536	0.12			568.8	536.440	622.1

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V86	V87	V89	V90	V92	V93	V94	V95	V96	V97	V98	V99	V100
SiO ₂	g 100g ⁻¹	52.61	52.35	51.677	52.56	52.43	52.08	52.57		51.398	52.47	51.64	52.62
TiO ₂	g 100g ⁻¹	0.35	0.33	0.348	0.340	0.34	0.34	0.335	0.396	0.335	0.362	0.332	0.35
Al ₂ O ₃	g 100g ⁻¹	22.93	22.57	22.433	23.018	22.56	22.32	22.82		22.73	23.53	22.5	22.71
Fe ₂ O ₃ T	g 100g ⁻¹	2.4	2.54	2.637	2.585	2.57	2.67	2.82		2.82	2.725	2.63	2.65
Fe(II)O	g 100g ⁻¹												1.13
MnO	g 100g ⁻¹	0.14	0.136	0.14	0.142	0.13	0.141	0.137		0.16	0.142	0.139	0.14
MgO	g 100g ⁻¹	0.2	0.22	0.217	0.232	0.25	0.01	0.26		0.21	0.243	0.215	0.31
CaO	g 100g ⁻¹	2.38	2.16	2.303	2.353	2.23	2.36	2.249		2.127	2.449	2.25	2.3
Na ₂ O	g 100g ⁻¹	6.82	6.77	6.89	7.047	7.05	7.13	7.84		7.47	7.321	7.02	6.93
K ₂ O	g 100g ⁻¹	9.06	9.28	9.077	9.384	8.97	9.42	9.342		9.292	9.327	9.22	9.25
P ₂ O ₅	g 100g ⁻¹	0.02	0.033	0.04	0.048	0.04	0.034	0.027		0.01	0.034		0.04
H ₂ O+	g 100g ⁻¹												
CO ₂	g 100g ⁻¹												
LOI	g 100g ⁻¹	2.69	3.26	3.328	2.08	3.44	3.28			3.32		3.24	3.42
Ag	mg kg ⁻¹							0.186					0.35
As	mg kg ⁻¹							23.38		45			22.13
Au	mg kg ⁻¹												
B	mg kg ⁻¹	40.3						52.9					
Ba	mg kg ⁻¹	438		391.4	416.050			5198	54.08	423		424.3	448
Be	mg kg ⁻¹	8.43				7.77			8.078				8.83
Bi	mg kg ⁻¹					1.09			1.086				0.94
Br	mg kg ⁻¹												1.2
C(org)	mg kg ⁻¹												
C(tot)	mg kg ⁻¹		3270	3307									
Cd	mg kg ⁻¹	0.12						0.256					0.27
Ce	mg kg ⁻¹	306		275.8	217.750			399	289.030	306			301.6
Cl	mg kg ⁻¹			1639									1884
Co	mg kg ⁻¹	1.75		2.126	1.04			17	1.54	1.75			2.01
Cr	mg kg ⁻¹	64.6		37.42	43.8			233	38.5	36.5			48.86
Cs	mg kg ⁻¹	14.1			12.2			20	8.57	12.9			12.58
Cu	mg kg ⁻¹	3.41			6.2			109	3.62	5.24	6		5.12
Dy	mg kg ⁻¹	4.27		3.817	4.09				4.245	4.14			4.26
Er	mg kg ⁻¹	2.26		1.942	2.2				2.115	2.11			2.13
Eu	mg kg ⁻¹	2.59		2.325	2.43				2.522	2.54			2.71
F	mg kg ⁻¹			3809									3611
Ga	mg kg ⁻¹	23.3		22	27.1			23	19.51		26		21.67
Gd	mg kg ⁻¹	10.1		6.467	7.04				6.271	6.71			6.82
Ge	mg kg ⁻¹	1.25					1.5						0.95
Hf	mg kg ⁻¹	11.1		9.007	11.18			31	8.13	9.03			10.72
Hg	mg kg ⁻¹												
Ho	mg kg ⁻¹	0.75		0.7	0.7				0.792	0.778			0.77
I	mg kg ⁻¹												0.78
In	mg kg ⁻¹												
La	mg kg ⁻¹	172		156.1	149.110			237	162.084	170			171.1
Li	mg kg ⁻¹	58.1		53.13	51.79				57.62	65.1			55
Lu	mg kg ⁻¹	0.31		0.288	0.3				0.33	0.322			0.31
Mo	mg kg ⁻¹	3.52			3.67			29	4.06	5.14	8		4.72
Nb	mg kg ⁻¹	49		41.84	35.5			22	39.454	47.2	39		41.33
Nd	mg kg ⁻¹	105		84.48	82.29			191	89.41	98.9			102.6
Ni	mg kg ⁻¹	3.4			1.55			158	1.69	2.48	1		7.14
Pb	mg kg ⁻¹	130		141	115.570			231	126.980	124	126		123.6
Pd	mg kg ⁻¹												
Pr	mg kg ⁻¹	32.8		26.85	25.15				29.022	29.7			29.14
Rb	mg kg ⁻¹	201		190	193.2			652	179.9	207	196		279
Re	mg kg ⁻¹												196.1
S	mg kg ⁻¹		1910	1692					1932				1802
Sb	mg kg ⁻¹				2.73				2.711	2.96			3.08
Sc	mg kg ⁻¹	1		5.678						0.534			
Se	mg kg ⁻¹								0.22				
Sm	mg kg ⁻¹	11.9		10.6	10.06			40	11.381	11.5			11.42
Sn	mg kg ⁻¹					1.65			1.78	4.41			1.76
Sr	mg kg ⁻¹	1783	2250	1608	1693.100			760	1696.820	1930	1701	1814	1805
Ta	mg kg ⁻¹	2.43		1.808	1.83				2.61	1.97			1.77
Tb	mg kg ⁻¹	1.02		0.740	0.91				0.828	0.832			0.85
Te	mg kg ⁻¹												0.04
Th	mg kg ⁻¹	68.8		55.29	48.9			123	54.57	65.3	70		63.81
Tl	mg kg ⁻¹								1.496	2.56			2.4
Tm	mg kg ⁻¹	0.32		0.274	0.29				0.31				0.31
U	mg kg ⁻¹	14.5		10.82	13.2			12	12.556	13.8	21		13.45
V	mg kg ⁻¹	30.2		26.19	37.05			168	27.2	30.9			28.02
W	mg kg ⁻¹					6.86			6.962		8		6.8
Y	mg kg ⁻¹	26.6		23.5	23.68			49	23.68	32.4	36		24.01
Yb	mg kg ⁻¹	2.1		1.923	2.08				2.168	2.17			2.17
Zn	mg kg ⁻¹	90.5		83.5	81.6			103	97.8	109	83		99.35
Zr	mg kg ⁻¹	636		554	604.080			889	413.7	598	622	677.8	592

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V101	V102	V103	V104	V105	V106	V107	V108	V109	V111	V113	V114	V115
SiO ₂	g 100g ⁻¹	51.38	51.8	<u>52.09</u>	<u>50.92</u>	<u>50.42</u>		51.7	53.4	51.916		<u>52.12</u>	51.94
TiO ₂	g 100g ⁻¹	0.35	<u>0.36</u>	<u>0.34</u>	<u>0.33</u>	<u>0.32</u>		0.34	<u>0.289</u>	<u>0.337</u>	0.354	<u>0.33</u>	<u>0.344</u>
Al ₂ O ₃	g 100g ⁻¹	22.48	<u>22.5</u>	<u>22.81</u>	<u>22.34</u>	<u>22.82</u>		22.48	<u>20.9</u>	<u>22.687</u>		<u>22.44</u>	22.96
Fe ₂ O ₃ T	g 100g ⁻¹	2.62	<u>2.66</u>	<u>2.72</u>	<u>2.55</u>	<u>2.66</u>		2.67	<u>2.3</u>	<u>2.641</u>		<u>2.62</u>	<u>2.52</u>
Fe(II)O	g 100g ⁻¹	0.85							<u>0.942</u>				
MnO	g 100g ⁻¹	0.135	<u>0.14</u>	<u>0.139</u>	<u>0.13</u>	<u>0.14</u>		0.139	<u>0.121</u>	<u>0.139</u>	0.142	<u>0.141</u>	<u>0.135</u>
MgO	g 100g ⁻¹	0.22	<u>0.24</u>	<u>0.216</u>	<u>0.19</u>	<u>0.15</u>		0.21	<u>0.254</u>	<u>0.227</u>		<u>0.259</u>	<u>0.231</u>
CaO	g 100g ⁻¹	2.27	<u>2.28</u>	<u>2.2</u>	<u>2.2</u>	<u>2.05</u>		2.26	<u>2.71</u>	<u>2.277</u>		<u>2.43</u>	<u>2.19</u>
Na ₂ O	g 100g ⁻¹	7.01	<u>6.94</u>	<u>6.64</u>	<u>7.34</u>	<u>6.89</u>		6.89	<u>7.58</u>	<u>6.858</u>		<u>6.97</u>	<u>6.68</u>
K ₂ O	g 100g ⁻¹	9.07	<u>9.15</u>	<u>8.32</u>	<u>9.08</u>	<u>9.08</u>		9.08	<u>8.6</u>	<u>9.129</u>		<u>9.03</u>	<u>8.67</u>
P ₂ O ₅	g 100g ⁻¹	0.04	<u>0.04</u>		<u>0.03</u>	<u>0.04</u>		0.034	<u>0.050</u>	<u>0.037</u>		<u>0.037</u>	<u>0.033</u>
H ₂ O+	g 100g ⁻¹									<u>0.356</u>			
CO ₂	g 100g ⁻¹												
LOI	g 100g ⁻¹	3.21	<u>3.38</u>	<u>3.36</u>	<u>3.28</u>	<u>3.06</u>	<u>3.47</u>	3.38	<u>2.8</u>	<u>2.956</u>		<u>3.49</u>	<u>3.4</u>
Ag	mg kg ⁻¹								<u>1.525</u>				
As	mg kg ⁻¹	24		<u>24</u>	<u>19.2</u>	<u>26</u>	32.507					<u>23.83</u>	
Au	mg kg ⁻¹												
B	mg kg ⁻¹						<u>108</u>						
Ba	mg kg ⁻¹	402		<u>440</u>	<u>419</u>	<u>178</u>	<u>378.6</u>	<u>426</u>	<u>402</u>	<u>435.580</u>	<u>434</u>	<u>458.7</u>	<u>474</u>
Be	mg kg ⁻¹					<u>8</u>	<u>6.853</u>			<u>8.835</u>	<u>9.19</u>		
Bi	mg kg ⁻¹									<u>1.07</u>	<u>1.14</u>		
Br	mg kg ⁻¹					<u>2.6</u>							
C(org)	mg kg ⁻¹												
C(tot)	mg kg ⁻¹									<u>3344</u>			
Cd	mg kg ⁻¹									<u>0.2</u>			
Ce	mg kg ⁻¹	318				<u>289.5</u>	<u>218.829</u>	<u>298.830</u>		<u>268.680</u>	<u>308</u>	<u>320.7</u>	<u>302</u>
Cl	mg kg ⁻¹					<u>1000</u>			<u>2110</u>				
Co	mg kg ⁻¹					<u>2.4</u>	<u>4</u>	<u>3.322</u>		<u>1.66</u>	<u>1.6</u>	<u>1.463</u>	<u>1.61</u>
Cr	mg kg ⁻¹	35		<u>47</u>	<u>41.3</u>	<u>25</u>	<u>24.207</u>	<u>44</u>	<u>64</u>	<u>43.2</u>	<u>43.9</u>	<u>40.93</u>	<u>57</u>
Cs	mg kg ⁻¹					<u>10.7</u>			<u>12.74</u>		<u>12.907</u>	<u>12.7</u>	<u>13.34</u>
Cu	mg kg ⁻¹					<u>4.4</u>	<u>5</u>	<u>6.999</u>	<u>5</u>	<u>3.9</u>	<u>4.13</u>	<u>4.25</u>	<u>38</u>
Dy	mg kg ⁻¹						<u>4.457</u>	<u>4.59</u>		<u>4.175</u>	<u>4.49</u>	<u>4.12</u>	<u>3.67</u>
Er	mg kg ⁻¹						<u>2.344</u>	<u>2.17</u>		<u>2.071</u>	<u>2.33</u>	<u>1.991</u>	
Eu	mg kg ⁻¹						<u>3.267</u>	<u>2.79</u>		<u>2.462</u>	<u>2.77</u>	<u>2.53</u>	
F	mg kg ⁻¹					<u>3000</u>			<u>1930</u>				
Ga	mg kg ⁻¹	20		<u>20</u>	<u>21.5</u>		<u>21.211</u>	<u>5</u>	<u>11</u>	<u>21.894</u>	<u>23.2</u>	<u>24.45</u>	<u>20</u>
Gd	mg kg ⁻¹						<u>14.647</u>	<u>6.75</u>		<u>6.066</u>	<u>6.19</u>	<u>8.63</u>	
Ge	mg kg ⁻¹												<u>1.18</u>
Hf	mg kg ⁻¹		<u>16</u>	<u>13.3</u>			<u>13.171</u>	<u>10.16</u>		<u>9.69</u>	<u>10.8</u>	<u>9.03</u>	<u>8.18</u>
Hg	mg kg ⁻¹						<u>0.317</u>						
Ho	mg kg ⁻¹						<u>0.835</u>	<u>0.83</u>		<u>0.732</u>	<u>0.82</u>	<u>0.756</u>	<u>0.68</u>
I	mg kg ⁻¹												
In	mg kg ⁻¹									<u>0.015</u>			
La	mg kg ⁻¹	183				<u>174.6</u>		<u>158.619</u>	<u>168.4</u>		<u>145.653</u>	<u>170</u>	<u>177.6</u>
Li	mg kg ⁻¹			<u>58.2</u>		<u>57</u>				<u>55.47</u>	<u>57.5</u>		<u>46.65</u>
Lu	mg kg ⁻¹						<u>0.213</u>	<u>0.33</u>		<u>0.311</u>	<u>0.34</u>	<u>0.325</u>	
Mo	mg kg ⁻¹					<u>4.2</u>	<u>9</u>	<u>1.949</u>		<u>4.756</u>	<u>4.12</u>		
Nb	mg kg ⁻¹	41		<u>38</u>	<u>39.3</u>		<u>96.59</u>	<u>40.74</u>	<u>36</u>	<u>42.956</u>	<u>47.5</u>	<u>46.2</u>	<u>36</u>
Nd	mg kg ⁻¹	91				<u>75.5</u>		<u>85.543</u>	<u>92.36</u>		<u>85.694</u>	<u>96.7</u>	<u>93.41</u>
Ni	mg kg ⁻¹					<u>2.5</u>	<u>4</u>	<u>0.606</u>	<u>4</u>		<u>2.41</u>	<u>3.23</u>	<u>2.97</u>
Pb	mg kg ⁻¹	114		<u>111</u>	<u>118</u>	<u>101</u>	<u>88.347</u>	<u>121.120</u>	<u>117</u>	<u>119.390</u>	<u>131</u>	<u>111.6</u>	<u>109</u>
Pd	mg kg ⁻¹												
Pr	mg kg ⁻¹						<u>32.594</u>	<u>30.12</u>		<u>27.177</u>	<u>31.6</u>	<u>30.69</u>	
Rb	mg kg ⁻¹	182		<u>189</u>	<u>190.1</u>		<u>146.635</u>	<u>192.7</u>	<u>175</u>	<u>194.290</u>	<u>196</u>	<u>197.2</u>	<u>189</u>
Re	mg kg ⁻¹												
S	mg kg ⁻¹					<u>1200</u>			<u>1780</u>	<u>1131</u>			
Sb	mg kg ⁻¹					<u>2.45</u>		<u>2.008</u>		<u>2.853</u>			
Sc	mg kg ⁻¹					<u>1.5</u>			<u>0.4</u>		<u>0.44</u>	<u>1.528</u>	
Se	mg kg ⁻¹												
Sm	mg kg ⁻¹					<u>8.4</u>		<u>12.924</u>	<u>12.04</u>		<u>11.049</u>	<u>12.1</u>	<u>11.57</u>
Sn	mg kg ⁻¹					<u>0.98</u>		<u>0.841</u>			<u>1.79</u>	<u>1.64</u>	
Sr	mg kg ⁻¹	1729		<u>1694</u>	<u>1718.900</u>	<u>1814</u>	<u>191.780</u>	<u>1757</u>	<u>1690</u>	<u>1713.830</u>	<u>1812</u>	<u>1729.800</u>	<u>1533</u>
Ta	mg kg ⁻¹						<u>4.455</u>	<u>1.81</u>		<u>1.920</u>	<u>2.07</u>	<u>1.98</u>	
Tb	mg kg ⁻¹						<u>1.154</u>	<u>0.9</u>		<u>0.781</u>	<u>0.87</u>	<u>1.074</u>	<u>0.96</u>
Te	mg kg ⁻¹												
Th	mg kg ⁻¹	61		<u>54</u>	<u>62.7</u>		<u>57.572</u>	<u>63.27</u>	<u>41</u>	<u>59.645</u>	<u>70.6</u>	<u>67.42</u>	<u>66</u>
Tl	mg kg ⁻¹					<u>1.2</u>				<u>1.947</u>	<u>2.53</u>		
Tm	mg kg ⁻¹						<u>0.299</u>	<u>0.32</u>		<u>0.305</u>	<u>0.34</u>	<u>0.324</u>	
U	mg kg ⁻¹	14		<u>18</u>	<u>12.8</u>		<u>15.105</u>	<u>13.04</u>		<u>13.427</u>	<u>14.2</u>	<u>13.75</u>	<u>19</u>
V	mg kg ⁻¹	26		<u>21</u>	<u>22.8</u>	<u>30</u>	<u>25.76</u>	<u>33</u>		<u>28.84</u>	<u>30.9</u>	<u>26.67</u>	<u>36</u>
W	mg kg ⁻¹					<u>7.2</u>	<u>11</u>			<u>6.639</u>			
Y	mg kg ⁻¹	23		<u>26</u>	<u>24.5</u>	<u>20</u>	<u>23.386</u>	<u>25.92</u>		<u>25.415</u>	<u>27.9</u>	<u>26.91</u>	
Yb	mg kg ⁻¹						<u>2.115</u>	<u>2.04</u>		<u>2.024</u>	<u>2.22</u>	<u>2.05</u>	
Zn	mg kg ⁻¹	94		<u>79</u>	<u>83.3</u>	<u>78</u>	<u>82.233</u>	<u>100</u>	<u>92</u>	<u>102.6</u>	<u>97</u>	<u>79.18</u>	<u>102</u>
Zr	mg kg ⁻¹	611		<u>583</u>	<u>568.3</u>			<u>603</u>	<u>694</u>	<u>599.3</u>	<u>650</u>	<u>579.1</u>	<u>563</u>

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 1 - GeoPT39A Contributed data for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V116	V117	V118	V119	V120	V121	V122	V123	V124	V125	V126	-	-
SiO ₂	g 100g ⁻¹	<u>51.62</u>	<u>51.98</u>	<u>51.91</u>	<u>51.11</u>	<u>51.51</u>	<u>51.516</u>	<u>51.41</u>	<u>52.355</u>	<u>51.87</u>		<u>51.43</u>	
TiO ₂	g 100g ⁻¹	<u>0.33</u>	<u>0.35</u>	<u>0.41</u>	<u>0.352</u>	<u>0.345</u>	<u>0.35</u>	<u>0.319</u>	<u>0.31</u>	<u>0.35</u>	<u>0.300</u>	<u>0.35</u>	
Al ₂ O ₃	g 100g ⁻¹	<u>22.56</u>	<u>22.71</u>	<u>22.94</u>	<u>22.78</u>	<u>22.59</u>	<u>22.937</u>	<u>22.12</u>	<u>22.46</u>	<u>22.16</u>	<u>22.466</u>	<u>22.08</u>	
Fe ₂ O ₃ T	g 100g ⁻¹	<u>2.59</u>	<u>2.68</u>	<u>2.57</u>	<u>2.68</u>	<u>2.64</u>	<u>2.638</u>	<u>2.599</u>	<u>2.53</u>	<u>2.9</u>	<u>2.588</u>	<u>2.69</u>	
Fe(II)O	g 100g ⁻¹											<u>0.88</u>	
MnO	g 100g ⁻¹	<u>0.13</u>	<u>0.174</u>	<u>0.125</u>	<u>0.137</u>	<u>0.134</u>	<u>0.136</u>	<u>0.135</u>	<u>0.11</u>	<u>0.13</u>	<u>0.14</u>	<u>0.139</u>	
MgO	g 100g ⁻¹	<u>0.2</u>	<u>0.06</u>	<u>0.2</u>	<u>0.15</u>	<u>0.22</u>	<u>0.242</u>	<u>0.234</u>	<u>0.23</u>	<u>0.24</u>	<u>0.381</u>	<u>0.223</u>	
CaO	g 100g ⁻¹	<u>2.2</u>	<u>2.33</u>	<u>2.25</u>	<u>2.27</u>	<u>2.27</u>	<u>2.338</u>	<u>2.135</u>	<u>2.11</u>	<u>2.68</u>	<u>2.309</u>	<u>2.302</u>	
Na ₂ O	g 100g ⁻¹	<u>7.19</u>	<u>6.98</u>	<u>6.84</u>	<u>7.14</u>	<u>6.94</u>	<u>6.938</u>	<u>6.776</u>	<u>6.975</u>	<u>6.85</u>	<u>6.983</u>	<u>6.9</u>	
K ₂ O	g 100g ⁻¹	<u>9.05</u>	<u>9.69</u>	<u>8.86</u>	<u>9.2</u>	<u>9.12</u>	<u>9.119</u>	<u>9.083</u>	<u>9.015</u>	<u>8.13</u>	<u>8.794</u>	<u>9.1</u>	
P ₂ O ₅	g 100g ⁻¹	<u>0.04</u>	<u>0.04</u>	<u>0.039</u>	<u>0.042</u>	<u>0.039</u>	<u>0.033</u>	<u>0.033</u>	<u>0.04</u>	<u>0.038</u>			
H ₂ O+	g 100g ⁻¹											<u>1.85</u>	
CO ₂	g 100g ⁻¹												
LOI	g 100g ⁻¹	<u>3.33</u>	<u>3.3</u>	<u>3.01</u>		<u>3.4</u>	<u>3.364</u>	<u>3.34</u>	<u>3.21</u>	<u>3</u>		<u>3.59</u>	
Ag	mg kg ⁻¹												
As	mg kg ⁻¹		<u>22</u>	<u>20.55</u>	<u>23</u>				<u>19</u>			<u>22.1</u>	<u>24.218</u>
Au	mg kg ⁻¹												
B	mg kg ⁻¹											<u>47</u>	
Ba	mg kg ⁻¹	<u>393</u>		<u>400</u>	<u>381</u>	<u>417</u>	<u>477</u>	<u>393</u>	<u>456</u>	<u>425</u>	<u>450</u>	<u>423.182</u>	
Be	mg kg ⁻¹			<u>9.62</u>					<u>5.78</u>	<u>9.5</u>		<u>8.155</u>	
Bi	mg kg ⁻¹				<u>0.845</u>				<u>0.72</u>			<u>1.069</u>	
Br	mg kg ⁻¹					<u>5</u>			<u>6</u>			<u>2.2</u>	
C(org)	mg kg ⁻¹											<u>218</u>	
C(tot)	mg kg ⁻¹											<u>3222</u>	
Cd	mg kg ⁻¹											<u>0.228</u>	
Ce	mg kg ⁻¹	<u>291</u>	<u>100</u>	<u>267</u>	<u>202.5</u>	<u>273</u>		<u>278</u>	<u>299.260</u>	<u>293</u>	<u>303</u>	<u>295.068</u>	
Cl	mg kg ⁻¹							<u>2410</u>			<u>1940</u>	<u>1855</u>	
Co	mg kg ⁻¹			<u>2.89</u>				<u>1</u>		<u>2</u>	<u>1.59</u>	<u>1.5</u>	<u>1.457</u>
Cr	mg kg ⁻¹	<u>35</u>		<u>39.9</u>	<u>36</u>	<u>43</u>	<u>25</u>	<u>50</u>	<u>35.28</u>	<u>43</u>	<u>43.6</u>	<u>46.094</u>	
Cs	mg kg ⁻¹			<u>11.88</u>					<u>9.63</u>	<u>14</u>	<u>12.9</u>	<u>11.947</u>	
Cu	mg kg ⁻¹			<u>3.17</u>	<u>12</u>		<u>10</u>	<u>7</u>	<u>5</u>	<u>3</u>			
Dy	mg kg ⁻¹			<u>3.81</u>	<u>3.72</u>				<u>3.86</u>	<u>4.28</u>	<u>4.9</u>	<u>4.301</u>	
Er	mg kg ⁻¹			<u>3.03</u>	<u>2</u>				<u>2.28</u>	<u>2.05</u>		<u>2.054</u>	
Eu	mg kg ⁻¹			<u>3.08</u>	<u>2.06</u>				<u>3.28</u>	<u>2.5</u>	<u>2.52</u>	<u>2.580</u>	
F	mg kg ⁻¹						<u>4510</u>	<u>4102</u>				<u>4481</u>	
Ga	mg kg ⁻¹			<u>23.43</u>	<u>21</u>	<u>21</u>	<u>20</u>	<u>20</u>	<u>22</u>	<u>21.5</u>		<u>23.174</u>	
Gd	mg kg ⁻¹	<u>20</u>		<u>13.72</u>	<u>6.08</u>			<u>8</u>	<u>9.07</u>	<u>7.56</u>		<u>7.168</u>	
Ge	mg kg ⁻¹							<u>3</u>	<u>0.93</u>			<u>1.361</u>	
Hf	mg kg ⁻¹				<u>7</u>		<u>6</u>	<u>17</u>	<u>9.1</u>	<u>9.96</u>	<u>10.1</u>	<u>10.137</u>	
Hg	mg kg ⁻¹												
Ho	mg kg ⁻¹			<u>0.687</u>	<u>0.67</u>				<u>0.75</u>	<u>0.75</u>		<u>0.770</u>	
I	mg kg ⁻¹												
In	mg kg ⁻¹			<u>0.017</u>					<u>0.02</u>				
La	mg kg ⁻¹	<u>99</u>	<u>60</u>	<u>150</u>	<u>95.3</u>	<u>134</u>		<u>153</u>	<u>178.580</u>	<u>168</u>	<u>165.7</u>	<u>158.091</u>	
Li	mg kg ⁻¹			<u>59.57</u>			<u>56</u>			<u>61</u>		<u>54</u>	
Lu	mg kg ⁻¹			<u>0.361</u>	<u>0.26</u>				<u>0.29</u>	<u>0.33</u>	<u>0.27</u>	<u>0.315</u>	
Mo	mg kg ⁻¹			<u>4.17</u>					<u>3.09</u>	<u>4.9</u>		<u>4.116</u>	
Nb	mg kg ⁻¹			<u>37.6</u>	<u>35</u>	<u>40</u>		<u>39</u>	<u>30</u>	<u>30</u>		<u>37.124</u>	
Nd	mg kg ⁻¹			<u>83.5</u>	<u>63.4</u>	<u>87</u>		<u>83</u>	<u>92.92</u>	<u>96</u>	<u>92</u>	<u>89.959</u>	
Ni	mg kg ⁻¹	<u>54</u>		<u>3.17</u>	<u>4</u>		<u>4</u>	<u>9</u>	<u>4</u>	<u>2.8</u>			
Pb	mg kg ⁻¹	<u>117</u>		<u>105.5</u>	<u>118</u>	<u>115</u>	<u>41</u>	<u>115</u>	<u>115</u>	<u>110</u>		<u>117.536</u>	
Pd	mg kg ⁻¹												
Pr	mg kg ⁻¹			<u>26.46</u>	<u>19.7</u>				<u>28.83</u>	<u>29.6</u>		<u>29.034</u>	
Rb	mg kg ⁻¹	<u>226</u>		<u>194</u>	<u>181</u>	<u>208</u>		<u>196</u>	<u>175</u>	<u>195</u>	<u>186</u>	<u>182.307</u>	
Re	mg kg ⁻¹												
S	mg kg ⁻¹							<u>1206</u>				<u>1779</u>	
Sb	mg kg ⁻¹								<u>1.49</u>		<u>2.8</u>	<u>2.817</u>	
Sc	mg kg ⁻¹			<u>3.08</u>	<u>1</u>				<u>1.5</u>	<u>0.78</u>	<u>0.185</u>		
Se	mg kg ⁻¹											<u>0.04</u>	
Sm	mg kg ⁻¹			<u>10.2</u>	<u>8.59</u>				<u>11.02</u>	<u>11.3</u>	<u>11.1</u>	<u>11.585</u>	
Sn	mg kg ⁻¹								<u>1.34</u>	<u>1.8</u>		<u>2.075</u>	
Sr	mg kg ⁻¹	<u>2865</u>	<u>200</u>	<u>1704</u>	<u>1588</u>	<u>1781</u>	<u>1860</u>	<u>1566</u>	<u>1672</u>	<u>1470</u>	<u>1820</u>	<u>1789.599</u>	
Ta	mg kg ⁻¹								<u>0.58</u>		<u>1.66</u>	<u>1.990</u>	
Tb	mg kg ⁻¹			<u>1.354</u>	<u>0.71</u>				<u>1.11</u>	<u>0.93</u>	<u>0.78</u>	<u>0.824</u>	
Te	mg kg ⁻¹								<u>0.2</u>				
Th	mg kg ⁻¹			<u>58.8</u>	<u>39.11</u>	<u>60</u>		<u>61</u>	<u>60</u>	<u>65</u>	<u>63.9</u>	<u>59.902</u>	
Tl	mg kg ⁻¹			<u>1.834</u>					<u>1.74</u>	<u>1.89</u>			
Tm	mg kg ⁻¹			<u>0.342</u>	<u>0.26</u>				<u>0.3</u>	<u>0.31</u>		<u>0.290</u>	
U	mg kg ⁻¹			<u>11.52</u>	<u>8</u>	<u>20</u>		<u>7</u>	<u>9.71</u>	<u>13.4</u>	<u>12.6</u>	<u>13.418</u>	
V	mg kg ⁻¹	<u>33</u>		<u>22.27</u>	<u>22</u>	<u>24</u>		<u>26</u>	<u>19</u>	<u>31</u>	<u>29</u>	<u>26.207</u>	
W	mg kg ⁻¹								<u>5.02</u>	<u>8.3</u>	<u>6.2</u>	<u>6.745</u>	
Y	mg kg ⁻¹	<u>38</u>		<u>27.67</u>	<u>18.3</u>	<u>27</u>	<u>22</u>	<u>31</u>	<u>22</u>	<u>25.8</u>		<u>25.384</u>	
Yb	mg kg ⁻¹			<u>2.3</u>	<u>1.66</u>				<u>1.94</u>	<u>2.06</u>	<u>1.94</u>	<u>2.079</u>	
Zn	mg kg ⁻¹	<u>130</u>		<u>79.1</u>	<u>87</u>	<u>86</u>	<u>95</u>	<u>95</u>	<u>78</u>	<u>73</u>	<u>99</u>	<u>108.693</u>	
Zr	mg kg ⁻¹	<u>649</u>		<u>583</u>	<u>614</u>	<u>602</u>	<u>607</u>	<u>551</u>	<u>580</u>	<u>560</u>	<u>610</u>	<u>631.977</u>	

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2

Table 2 - GeoPT39A Assigned values and statistical summary for Nepheline syenite, MNS-1.

	Assigned Value	Uncertainty of assigned value	Horwitz Target Value	Uncertainty/Target	Number of reported results	Robust Mean of results	Robust SD of results	Median of results	Status of consensus value	Type of consensus value
	X_a	sdm	H_a	sdm/H_a	n					
	$g\ 100g^{-1}$	$g\ 100g^{-1}$	$g\ 100g^{-1}$			$g\ 100g^{-1}$	$g\ 100g^{-1}$	$g\ 100g^{-1}$		
SiO ₂	51.89	0.06609	0.5727	0.1154	88	51.89	0.62	51.86	Assigned	Robust Mean
TiO ₂	0.346	0.0009661	0.008118	0.119	92	0.3421	0.01561	0.346	Assigned	Median
Al ₂ O ₃	22.53	0.04106	0.282	0.1456	89	22.53	0.3874	22.5	Assigned	Robust Mean
Fe ₂ O _{3T}	2.632	0.0105	0.0455	0.2308	92	2.632	0.1007	2.638	Assigned	Robust Mean
MnO	0.139	0.0006183	0.003741	0.1653	92	0.1363	0.007199	0.139	Assigned	Median
MgO	0.2331	0.005001	0.005805	0.8614	89	0.2331	0.04718	0.233	Provisional	Robust Mean
CaO	2.275	0.008517	0.04021	0.2118	92	2.279	0.09365	2.275	Assigned	Median
Na ₂ O	6.98	0.02043	0.1042	0.1961	89	7	0.229	6.98	Assigned	Median
K ₂ O	9.124	0.02425	0.1308	0.1854	90	9.124	0.2301	9.105	Assigned	Robust Mean
P ₂ O ₅	0.03966	0.0004631	0.001289	0.3592	78	0.03748	0.006773	0.039	Provisional	Mode
LOI	3.28	0.01931	0.05486	0.3519	78	3.25	0.1808	3.28	Assigned	Median
	$mg\ kg^{-1}$	$mg\ kg^{-1}$	$mg\ kg^{-1}$			$mg\ kg^{-1}$	$mg\ kg^{-1}$	$mg\ kg^{-1}$		
As	22.94	0.4492	1.145	0.3923	41	23.3	2.963	22.94	Assigned	Median
Ba	420	2.895	13.53	0.2139	85	419.2	31.6	420	Assigned	Median
Be	8.6	0.1401	0.4976	0.2815	39	8.554	0.867	8.6	Assigned	Median
Bi	1.086	0.03688	0.08579	0.4299	21	1.095	0.207	1.086	Assigned	Median
Ce	293.8	1.686	9.991	0.1688	73	287.2	22.45	290	Assigned	Mode
Co	1.559	0.04039	0.1167	0.3462	52	1.801	0.564	1.625	Assigned	Mode
Cr	42.75	0.9422	1.943	0.4849	76	42.13	9.285	42.75	Provisional	Median
Cs	12.59	0.1319	0.6878	0.1917	48	12.62	1.144	12.59	Assigned	Median
Dy	4.2	0.03945	0.2707	0.1457	51	4.166	0.3142	4.2	Assigned	Median
Er	2.13	0.02753	0.152	0.1811	49	2.136	0.1749	2.13	Assigned	Median
Eu	2.55	0.02699	0.1772	0.1523	51	2.571	0.2109	2.55	Assigned	Median
Ga	21.95	0.26	1.103	0.2358	64	22.05	2.006	21.95	Assigned	Median
Gd	7.129	0.1777	0.4243	0.4189	52	7.535	1.537	7.129	Provisional	Median
Hf	10.1	0.2179	0.5704	0.382	53	10.01	2.059	10.1	Assigned	Median
Hg	0.61	0.03129	0.05256	0.5954	11	0.5991	0.1129	0.61	Provisional	Median
Ho	0.7574	0.008739	0.06317	0.1384	49	0.7574	0.06117	0.76	Assigned	Robust Mean
La	162.6	1.484	6.043	0.2455	73	161.7	12.87	162.6	Assigned	Median
Li	55.94	0.665	2.442	0.2724	38	55.29	4.171	55.94	Assigned	Median
Lu	0.3068	0.004252	0.02932	0.145	50	0.3068	0.03006	0.31	Assigned	Robust Mean
Mo	4.2	0.1211	0.2707	0.4474	47	4.311	0.9243	4.2	Provisional	Median
Nb	40.52	0.6558	1.857	0.3532	72	40.52	5.565	40.15	Assigned	Robust Mean
Nd	89.36	1.009	3.635	0.2777	62	88.95	7.7	89.36	Assigned	Median
Pb	115	1.284	4.504	0.2851	75	115.5	12.46	115	Assigned	Median
Pr	28.93	0.3572	1.394	0.2562	52	28.52	2.498	28.93	Assigned	Median
Rb	192.4	1.487	6.974	0.2133	77	192.4	13.05	192.7	Assigned	Robust Mean
Sb	2.8	0.06657	0.1918	0.3471	31	3.064	0.8718	2.8	Assigned	Median
Sm	11.39	0.1002	0.6317	0.1585	57	11.31	0.8986	11.39	Assigned	Median
Sn	1.642	0.07781	0.1219	0.6386	37	1.913	0.8105	1.75	Provisional	Mode
Sr	1714	9.246	44.69	0.2069	87	1702	116.2	1714	Assigned	Median
Ta	1.883	0.04871	0.1369	0.3558	43	2.055	0.4577	1.97	Assigned	Mode
Tb	0.87	0.01453	0.07106	0.2045	51	0.9093	0.15	0.87	Assigned	Median
Th	60.43	0.739	2.607	0.2834	71	59.86	6.807	60.43	Assigned	Median
Tl	1.868	0.09758	0.136	0.7175	27	1.834	0.5666	1.868	Provisional	Median
Tm	0.31	0.00435	0.02957	0.1471	46	0.3078	0.02911	0.31	Assigned	Median
U	13.03	0.2393	0.7083	0.3378	69	13.03	1.987	13.04	Assigned	Robust Mean
V	27.3	0.5367	1.328	0.4042	70	27.3	4.49	27	Assigned	Robust Mean
W	6.56	0.1652	0.3953	0.4178	33	6.548	1.338	6.56	Provisional	Median
Y	25.02	0.3487	1.233	0.2828	75	25.02	3.019	25	Assigned	Robust Mean
Yb	2.08	0.01868	0.149	0.1254	51	2.05	0.1794	2.08	Assigned	Median
Zn	96.9	1.381	3.894	0.3546	78	91.92	11.16	92	Provisional	Mode
Zr	589.3	4.893	18.05	0.2711	81	594.4	46.33	589.3	Assigned	Median

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V2	V3	V4	V5	V6	V8	V9	V11	V12	V13	V14	V15	V17
SiO ₂	0.88	-0.02	-0.86	-1.72	1.58	0.93	-0.15	-0.19	-0.14	*	0.29	-1.37	-0.20
TiO ₂	-1.97	-0.99	-5.67	0.09	1.48	0.25	0.06	-0.37	0.25	*	0.49	-1.97	-0.37
Al ₂ O ₃	-0.67	-0.09	-1.59	0.43	-1.12	0.64	0.13	-0.12	-0.28	*	1.03	1.49	-0.26
Fe ₂ O _{3T}	-9.93	0.31	-0.92	2.18	2.73	-1.01	-0.46	-0.35	-0.24	*	0.40	6.55	-0.24
MnO	-2.41	0.13	0.27	0.27	1.47	-1.74	0.27	0.13	0.13	*	0.27	1.60	0.13
MgO	-3.99	3.17	-2.26	-3.99	6.62	-0.01	-2.42	2.31	-1.99	*	1.18	16.68	1.45
CaO	-5.85	-1.18	-0.62	-2.37	2.30	0.93	-0.06	-0.19	-0.19	*	-0.13	1.61	-0.19
Na ₂ O	-0.67	0.05	-1.25	-1.73	-0.86	1.34	-0.14	0.00	-0.29	*	-2.02	-4.03	0.10
K ₂ O	0.05	-0.40	-1.41	0.63	-1.39	-0.82	-0.32	-0.17	0.60	*	-0.11	1.35	0.10
P ₂ O ₅	2.59	-1.81	-7.49	1.66	7.89	0.13	0.13	*	0.13	*	-1.29	-8.27	-3.75
LOI	0.73	0.64	1.73	*	-1.64	1.73	*	-1.18	-0.46	*	-2.73	1.28	0.18
As	5.12	*	-3.09	-1.61	*	2.20	*	0.55	*	*	-2.13	*	*
Ba	-0.44	0.26	-1.33	1.26	-2.77	0.00	*	1.99	-1.18	1.11	-1.48	-0.30	*
Be	5.43	0.77	*	*	-0.90	0.02	*	-0.23	*	1.09	3.42	-1.00	*
Bi	3.43	*	*	*	*	*	*	-0.56	*	0.86	*	*	*
Ce	-1.18	-1.39	-2.90	-1.11	-0.04	-2.29	*	0.61	*	1.72	2.02	-0.68	*
Co	-0.59	0.35	*	-0.23	2.32	-0.13	*	-0.25	*	0.35	-2.57	-1.37	*
Cr	1.16	-0.48	-2.03	0.40	0.68	-4.28	*	-2.51	-2.77	0.95	0.64	3.06	*
Cs	-0.28	-1.01	*	-0.67	-0.72	*	*	0.23	*	0.16	-2.17	*	*
Dy	-1.26	0.28	*	-0.59	-0.18	-0.18	*	0.46	*	1.15	0.11	4.47	*
Er	-1.25	0.13	*	-2.28	-0.10	0.07	*	0.66	*	1.25	2.76	-0.39	*
Eu	-1.58	-0.23	*	-0.66	-0.14	-0.28	*	0.11	*	1.30	-0.73	-0.06	*
Ga	-0.41	0.57	-1.49	1.59	-0.93	*	*	0.39	-0.88	1.32	1.86	*	*
Gd	-0.09	1.14	*	-1.72	1.62	0.24	*	-0.27	*	-2.09	-1.88	-0.14	*
Hf	*	0.09	*	-7.64	-0.53	0.26	*	0.61	*	1.05	-5.29	*	*
Hg	*	*	*	-2.47	*	*	*	*	*	*	*	*	*
Ho	-0.91	-0.06	*	-2.07	0.34	-0.22	*	0.34	*	0.83	0.12	-0.28	*
La	-0.59	-1.04	-2.79	-0.26	-0.13	-0.71	*	0.99	*	1.40	0.41	-2.59	*
Li	1.50	0.57	*	-0.03	*	0.50	*	0.59	*	0.68	-2.02	-1.61	*
Lu	-0.92	0.22	*	-1.37	-0.12	-0.12	*	-0.12	*	1.13	0.41	-0.40	*
Mo	*	*	0.74	-2.19	-0.92	-1.20	*	-0.04	*	-0.30	*	2.96	*
Nb	2.68	1.02	-0.60	-3.57	0.59	1.48	*	0.37	*	3.87	-2.97	*	*
Nd	-0.92	0.13	-2.11	-1.48	-0.09	-0.89	*	0.95	*	1.99	-0.04	-2.63	*
Pb	-2.22	0.78	-2.73	2.29	-4.98	-1.11	*	1.00	-0.67	4.00	2.89	-1.33	*
Pr	-0.38	-0.12	*	-0.76	-0.73	-1.12	*	0.21	*	2.06	-0.52	-2.00	*
Rb	4.10	-1.32	-0.48	-0.92	-0.74	-0.46	*	0.51	*	0.51	-0.78	*	*
Sb	-0.26	*	*	*	*	0.65	*	0.29	*	*	*	*	*
Sm	-1.09	-0.23	-0.62	-1.46	-0.23	-0.39	*	0.48	*	1.12	-0.24	0.00	*
Sn	-0.34	*	*	*	-3.86	*	*	*	*	0.07	*	*	*
Sr	0.59	-0.09	-2.63	0.96	-3.99	0.11	*	0.12	0.57	2.40	-1.63	-3.96	*
Ta	*	0.21	8.16	*	-0.67	5.54	*	0.06	*	1.51	-6.30	*	*
Tb	-1.27	0.07	*	-1.55	0.21	-0.14	*	0.00	*	0.00	-0.04	7.74	*
Th	-3.12	-0.04	-3.16	0.00	0.15	0.34	*	0.53	*	3.98	*	*	*
Tl	-0.21	*	*	2.29	-2.82	*	*	0.52	*	4.57	-0.25	*	*
Tm	-1.01	0.00	*	-2.03	-0.17	-0.20	*	0.17	*	0.68	-0.10	-1.01	*
U	-2.59	0.26	5.04	0.24	-0.45	0.44	*	0.37	*	1.51	-0.75	*	*
V	2.11	0.79	-1.96	1.03	0.71	-0.30	*	*	-0.11	2.78	6.55	-0.91	*
W	-0.91	*	-7.99	*	-1.85	*	*	*	*	*	*	*	*
Y	2.01	0.32	0.96	*	0.28	-0.21	*	0.19	*	2.33	-0.87	-0.99	*
Yb	-1.48	0.07	*	-2.75	0.07	-0.34	*	0.77	*	0.87	0.07	-1.88	*
Zn	1.31	-0.67	-6.68	0.50	7.45	-0.13	*	1.04	-1.14	0.05	-0.23	3.36	*
Zr	0.43	1.16	-0.58	-16.75	-0.50	-0.15	*	2.29	0.96	3.09	-1.35	-0.57	*

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V18	V19	V20	V21	V23	V24	V25	V27	V28	V29	V30	V31	V32
SiO ₂	0.10	-0.53	-0.29	1.07	*	0.57	0.19	-0.51	*	3.54	-0.42	*	0.25
TiO ₂	0.25	-0.37	0.49	-4.06	*	-0.74	0.25	0.06	0.86	-4.43	-0.43	*	-2.22
Al ₂ O ₃	-0.58	-0.48	0.46	-0.23	*	-1.66	*	-0.94	*	-5.11	-0.41	*	0.34
Fe ₂ O _{3T}	-0.24	0.42	-0.48	-9.36	*	1.83	-0.02	-1.78	4.60	-6.63	-0.24	*	-1.12
MnO	0.13	-1.20	-2.41	-5.21	*	0.53	-1.20	-0.80	0.13	-5.08	-0.40	*	-1.20
MgO	-14.05	0.59	9.79	3.17	*	-15.53	17.82	14.11	11.79	-38.44	-5.35	*	*
CaO	0.19	0.06	-1.87	-1.80	*	-0.25	-2.30	7.90	5.66	7.58	-0.44	*	-2.43
Na ₂ O	1.20	-0.86	-0.86	1.54	*	-1.69	-1.68	1.68	2.78	5.85	-1.06	*	-2.54
K ₂ O	0.33	0.18	-0.26	0.60	*	-1.39	*	0.86	4.49	-4.46	-0.40	*	0.94
P ₂ O ₅	-0.26	4.01	0.26	0.13	*	-8.27	7.89	*	*	0.26	-0.64	*	-7.62
LOI	-0.09	-1.09	3.65	-18.23	*	2.01	-3.37	0.36	*	-1.28	-0.73	*	0.82
As	1.77	0.90	*	*	*	*	*	*	*	2.85	-0.67	*	*
Ba	-2.92	0.66	*	9.53	*	2.66	-1.11	*	0.30	0.00	0.37	*	-2.70
Be	-0.10	*	*	-0.33	*	0.84	*	*	*	-1.41	-0.10	*	-1.79
Bi	8.94	*	*	*	*	*	*	*	*	*	*	*	*
Ce	0.96	0.81	*	-0.02	0.21	1.34	*	*	-4.39	-2.88	-0.24	*	0.23
Co	1.89	*	*	109.04	*	-0.42	*	*	-1.20	31.21	*	*	*
Cr	-4.82	0.32	*	-4.31	*	-4.22	*	*	-1.71	16.29	-1.02	*	*
Cs	-0.50	*	*	*	0.73	3.52	*	*	-0.72	0.01	-0.57	*	*
Dy	0.81	*	*	0.65	0.00	0.07	*	*	-1.02	-0.37	-0.67	*	0.09
Er	0.89	*	*	-0.33	-0.10	-0.26	*	*	-1.02	-0.86	-1.09	*	0.53
Eu	1.44	*	*	0.06	0.42	0.06	*	*	-1.02	-0.85	0.20	*	0.31
Ga	1.52	0.02	*	2.74	5.74	-0.47	*	*	*	10.02	-1.15	*	1.84
Gd	2.41	*	*	0.51	-2.74	-3.53	*	*	-0.62	-0.77	-0.94	*	4.16
Hf	-2.53	*	*	-0.18	*	-1.35	*	*	*	-8.59	-0.55	*	-2.51
Hg	*	*	*	*	*	*	*	*	*	*	*	*	3.01
Ho	2.47	*	*	-0.22	0.34	0.04	*	*	*	-0.43	-0.08	*	-0.53
La	2.93	3.18	*	0.46	0.20	1.61	*	*	-4.18	-2.57	0.04	*	0.00
Li	-0.19	*	*	*	*	5.41	*	*	0.57	*	*	*	*
Lu	4.32	*	*	0.39	-0.12	-0.23	*	*	-0.97	-2.62	-0.29	*	0.39
Mo	-3.25	*	*	0.72	*	3.99	*	*	*	21.43	-1.44	*	*
Nb	1.31	-1.49	*	-2.03	-0.06	4.30	*	*	*	3.54	0.51	*	0.67
Nd	*	*	*	0.16	0.90	1.33	*	*	-1.66	-1.34	-0.50	*	0.45
Pb	-2.93	0.67	*	-4.88	*	-5.11	*	*	-1.99	5.33	-0.11	*	0.56
Pr	0.46	*	*	0.33	0.78	1.21	*	*	-1.77	-1.24	-0.91	*	-0.48
Rb	-3.04	0.54	*	1.47	-0.60	-1.08	-2.33	*	0.47	4.96	-0.60	*	-2.04
Sb	4.48	*	*	*	2.09	*	*	*	*	9.91	-0.78	*	*
Sm	0.40	*	*	-0.23	0.40	0.13	*	*	-1.16	-1.09	0.48	*	0.21
Sn	0.65	*	*	*	3.11	*	*	*	*	4.58	2.29	*	0.45
Sr	4.41	0.47	*	-0.64	*	1.30	-1.27	*	0.67	10.25	-0.31	*	-0.47
Ta	4.67	*	*	-1.62	1.89	3.05	*	*	*	3.05	-0.34	*	12.08
Tb	3.31	*	*	1.06	2.32	-0.84	*	*	-1.41	-0.99	-0.46	*	1.55
Th	0.44	0.11	*	-9.10	1.05	1.29	*	*	-1.02	-2.47	-0.04	*	1.84
Tl	-1.35	*	*	*	*	*	*	*	*	-5.65	*	*	*
Tm	3.55	*	*	0.17	-0.17	*	*	*	-0.85	0.00	-0.36	*	0.51
U	-3.41	-0.02	*	-0.14	-0.02	1.44	*	*	-1.36	-0.47	-0.59	*	-0.86
V	0.64	-1.62	*	-0.87	*	0.72	*	*	-0.87	-0.23	-5.69	*	-1.62
W	1.44	*	*	-0.35	0.30	*	*	*	*	*	-1.05	*	*
Y	0.88	-0.41	*	-0.01	-0.33	2.11	*	*	-2.77	42.98	-2.56	*	3.24
Yb	1.41	*	*	-0.03	2.42	0.27	*	*	-1.11	0.13	-1.04	*	0.07
Zn	1.30	-1.91	*	-2.04	*	1.49	*	*	-0.35	-1.26	-2.35	*	-0.89
Zr	-8.49	-0.92	*	-0.98	*	-0.57	-0.81	*	*	10.68	-0.56	*	-0.65

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V33	V34	V36	V37	V38	V40	V41	V42	V44	V46	V49	V50	V51
SiO ₂	-0.36	*	<u>0.29</u>	-0.24	<u>0.43</u>	-6.53	-15.79	-0.88	<u>1.19</u>	<u>0.01</u>	<u>0.04</u>	-0.57	1.23
TiO ₂	<u>0.00</u>	*	<u>0.86</u>	-0.37	<u>0.37</u>	<u>0.25</u>	<u>250.91</u>	<u>0.49</u>	-0.99	<u>0.25</u>	-1.60	<u>0.49</u>	<u>0.49</u>
Al ₂ O ₃	-0.09	*	<u>2.02</u>	-0.57	<u>1.29</u>	<u>1.54</u>	-24.52	-0.81	<u>1.07</u>	<u>0.14</u>	<u>0.00</u>	-1.42	0.64
Fe ₂ O _{3T}	<u>0.31</u>	*	<u>3.28</u>	-0.42	<u>1.26</u>	-6.83	<u>73.60</u>	<u>0.62</u>	<u>0.53</u>	<u>0.64</u>	-0.90	<u>5.45</u>	<u>0.40</u>
MnO	-2.00	*	-1.20	-3.25	<u>0.80</u>	-5.21	<u>78.98</u>	0.27	-1.20	<u>1.47</u>	-1.20	*	0.27
MgO	<u>1.45</u>	*	<u>-17.50</u>	-7.16	<u>1.45</u>	-9.74	*	<u>4.63</u>	<u>8.34</u>	<u>-8.88</u>	<u>2.31</u>	<u>6.35</u>	<u>2.90</u>
CaO	<u>0.06</u>	*	<u>0.68</u>	-0.03	<u>0.70</u>	<u>13.37</u>	<u>20.08</u>	-0.62	<u>6.28</u>	<u>-0.69</u>	<u>0.31</u>	<u>1.61</u>	<u>0.87</u>
Na ₂ O	-0.62	*	<u>4.85</u>	<u>0.83</u>	<u>0.35</u>	-0.14	*	-2.97	<u>4.80</u>	<u>1.68</u>	-0.58	0.19	1.54
K ₂ O	-0.13	*	<u>2.43</u>	0.07	<u>0.96</u>	-3.26	<u>61.06</u>	-0.11	-3.34	<u>1.02</u>	<u>0.10</u>	-1.48	-0.64
P ₂ O ₅	-2.20	*	<u>4.01</u>	-0.26	*	-3.75	<u>469.40</u>	0.26	<u>0.13</u>	-7.62	<u>0.13</u>	*	<u>93.34</u>
LOI	<u>0.36</u>	*	*	<u>1.00</u>	-2.07	-0.36	*	0.00	*	<u>2.92</u>	-0.64	-3.46	2.37
As	*	*	*	*	*	*	-0.41	3.55	*	<u>-0.85</u>	-1.37	<u>0.46</u>	*
Ba	<u>1.00</u>	*	*	<u>0.11</u>	<u>7.91</u>	-1.88	-3.77	1.03	<u>2.25</u>	<u>2.92</u>	0.17	-0.22	-1.63
Be	*	*	*	*	*	*	*	1.51	<u>0.03</u>	-7.00	-1.51	*	*
Bi	*	*	*	*	*	*	*	8.82	*	*	-1.08	*	*
Ce	-0.39	-6.40	*	-0.40	*	-2.39	*	0.12	<u>0.12</u>	-0.69	0.11	2.92	*
Co	*	*	*	*	*	*	*	-1.37	<u>14.75</u>	*	<u>-0.25</u>	*	*
Cr	<u>1.35</u>	*	*	<u>-0.58</u>	*	-0.19	<u>26.05</u>	<u>4.09</u>	-3.54	<u>-1.48</u>	<u>-0.19</u>	<u>7.27</u>	<u>3.73</u>
Cs	*	*	*	*	*	*	<u>23.95</u>	*	*	*	0.37	*	*
Dy	*	-0.89	*	*	*	*	*	0.70	-0.24	-0.39	-0.37	*	*
Er	*	-2.63	*	*	*	*	*	0.86	<u>0.66</u>	<u>0.13</u>	<u>0.13</u>	*	*
Eu	*	-1.47	*	*	*	*	*	0.73	<u>2.12</u>	<u>-0.40</u>	<u>0.45</u>	*	*
Ga	<u>0.02</u>	*	*	*	*	<u>0.02</u>	*	-0.47	<u>0.93</u>	*	<u>-0.88</u>	*	-1.77
Gd	*	0.10	*	*	*	*	*	2.60	<u>2.36</u>	<u>2.82</u>	<u>-0.86</u>	*	*
Hf	<u>1.67</u>	*	*	*	*	*	*	0.88	<u>1.28</u>	*	0.79	*	3.33
Hg	*	*	*	*	*	*	*	*	<u>0.52</u>	*	<u>0.00</u>	*	*
Ho	*	-1.54	*	*	*	*	*	0.52	<u>0.26</u>	-0.45	<u>0.42</u>	*	*
La	-0.21	-6.28	*	<u>0.10</u>	*	-0.79	*	1.07	<u>1.46</u>	<u>-0.29</u>	<u>0.78</u>	0.74	*
Li	*	*	*	*	*	*	*	-4.44	*	<u>-3.26</u>	<u>0.01</u>	*	*
Lu	*	-1.60	*	*	*	*	*	0.79	<u>0.22</u>	<u>-0.29</u>	<u>0.22</u>	*	*
Mo	-2.22	*	*	*	*	*	*	-5.32	<u>-0.18</u>	-0.76	-0.37	<u>1.48</u>	*
Nb	-2.03	*	*	<u>-0.71</u>	*	<u>0.40</u>	-9.40	-0.19	<u>-3.91</u>	<u>4.17</u>	<u>0.67</u>	-1.36	-1.36
Nd	-0.74	*	*	<u>4.52</u>	*	*	*	1.69	<u>0.45</u>	<u>-0.74</u>	<u>0.42</u>	*	*
Pb	-0.56	*	*	<u>-0.73</u>	*	-6.33	-10.61	-0.22	0.67	*	-1.20	0.22	-1.55
Pr	<u>0.74</u>	-5.74	*	<u>0.10</u>	*	*	*	0.91	-0.13	-1.72	<u>0.82</u>	*	*
Rb	-0.75	*	*	<u>0.46</u>	*	-0.46	<u>0.83</u>	-0.46	-1.54	*	0.11	0.80	0.94
Sb	<u>16.16</u>	*	*	*	*	*	<u>38.84</u>	-0.73	*	*	-0.26	*	*
Sm	<u>3.65</u>	-4.56	*	*	*	*	*	0.97	-0.01	-0.63	0.18	*	*
Sn	*	*	*	*	*	<u>13.78</u>	<u>19.81</u>	<u>1.06</u>	<u>-0.91</u>	<u>34.30</u>	<u>9.68</u>	*	*
Sr	-0.18	*	*	<u>0.51</u>	*	-0.24	-19.03	-0.23	-0.64	-11.62	0.26	-0.73	1.08
Ta	<u>18.69</u>	*	*	*	*	*	*	0.79	-0.59	*	0.06	*	*
Tb	*	2.39	*	*	*	*	*	0.28	<u>1.27</u>	<u>0.21</u>	0.14	*	*
Th	<u>-4.11</u>	*	*	<u>-0.26</u>	*	-4.69	-10.89	4.13	<u>0.49</u>	<u>1.43</u>	<u>0.59</u>	*	-0.93
Tl	*	*	*	*	*	*	<u>1818.19</u>	<u>2.51</u>	*	*	<u>1.22</u>	*	*
Tm	*	-2.37	*	*	*	*	*	0.34	<u>0.34</u>	-0.17	<u>0.34</u>	*	*
U	-2.85	*	*	<u>4.89</u>	*	-2.14	<u>-7.29</u>	1.93	-0.81	*	0.54	*	-0.05
V	<u>-1.62</u>	*	*	*	*	*	<u>59.01</u>	-2.07	-1.62	<u>-6.14</u>	<u>1.39</u>	<u>-1.62</u>	1.28
W	*	*	*	*	*	*	<u>151.06</u>	-1.47	-0.06	<u>41.03</u>	<u>0.56</u>	*	*
Y	<u>1.21</u>	2.53	*	<u>-0.05</u>	*	<u>1.61</u>	-4.06	-0.45	-0.01	<u>-2.44</u>	-0.09	<u>0.40</u>	-1.64
Yb	*	-3.36	*	*	*	*	*	0.27	<u>0.44</u>	-0.40	-0.03	*	*
Zn	-0.76	*	*	<u>-0.95</u>	*	-1.79	<u>-2.13</u>	-6.09	-1.27	<u>-8.80</u>	<u>-1.09</u>	-1.26	-0.23
Zr	-1.17	*	*	-0.32	4.54	-1.06	-14.43	-1.26	0.82	*	-0.29	-2.12	2.59

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V52	V53	V54	V57	V58	V59	V60	V61	V63	V66	V67	V68	V70
SiO ₂	0.11	*	-1.13	0.27	0.67	*	-0.17	-1.07	0.45	-0.24	0.97	-0.01	0.64
TiO ₂	0.00	*	1.85	1.48	-6.90	*	-0.38	0.49	-1.17	0.25	1.60	0.99	-10.41
Al ₂ O ₃	0.16	*	-0.53	-0.37	-1.49	*	0.21	0.78	-0.76	0.34	2.45	0.26	-2.89
Fe ₂ O _{3T}	0.31	*	-0.15	1.24	-2.90	*	-0.35	2.82	-0.46	-0.02	2.27	1.29	-4.20
MnO	0.53	*	-1.55	-1.87	-5.08	*	-0.15	0.27	-0.67	0.13	-0.53	0.80	-6.07
MgO	3.17	*	-2.26	2.74	2.90	*	12.86	-2.26	0.16	3.17	-2.94	0.07	-9.06
CaO	0.30	*	-1.05	1.55	1.61	*	0.21	-1.87	0.06	0.31	0.76	-0.69	3.17
Na ₂ O	-1.44	*	0.21	0.79	3.93	*	0.41	1.44	-0.96	-1.78	0.38	-0.42	0.14
K ₂ O	-1.55	*	0.73	1.21	-0.34	*	-0.28	-0.79	-0.59	-1.16	-0.57	2.16	-0.05
P ₂ O ₅	-2.97	*	-0.82	-4.52	-7.49	*	-3.61	-15.25	-4.91	*	1.82	0.13	-1.96
LOI	0.18	*	4.37	-1.73	-3.65	*	0.82	0.91	-0.73	-1.18	-9.84	-1.46	3.45
As	-0.28	*	*	-0.32	*	*	-1.76	-1.87	*	*	-0.41	*	*
Ba	-0.18	-0.30	0.55	-0.42	1.33	-0.08	-0.92	-1.11	0.44	*	-3.47	-0.22	3.51
Be	*	-1.63	*	*	*	*	2.22	*	0.23	*	0.81	*	*
Bi	*	*	*	0.08	*	*	-2.48	*	*	*	*	*	*
Ce	-0.29	-6.39	*	-0.56	0.62	1.78	0.06	-1.58	-0.19	*	1.21	*	*
Co	*	*	*	1.46	*	*	0.10	3.78	-2.44	*	0.82	4.46	-2.62
Cr	-0.06	*	*	0.53	-0.39	*	0.40	-1.42	-5.75	*	1.35	2.89	-2.95
Cs	-0.43	-1.03	*	14.18	*	0.48	-0.47	13.68	-0.36	*	-0.86	*	*
Dy	*	-4.43	*	*	-1.85	0.67	0.11	*	0.33	*	-0.09	*	*
Er	*	-3.75	*	*	1.12	1.05	-0.26	*	0.13	*	0.10	*	*
Eu	*	-4.23	*	*	-0.85	0.28	0.97	*	0.59	*	-0.06	*	*
Ga	0.39	*	*	-0.93	-0.86	1.35	-0.18	-0.86	*	*	0.76	*	*
Gd	*	-5.58	*	*	-0.30	6.32	-1.32	*	0.90	*	-0.61	*	*
Hf	*	0.53	*	-0.96	*	2.03	-0.40	-7.19	0.53	*	2.34	*	*
Hg	-1.03	*	-0.93	0.67	*	*	*	*	*	*	-0.63	*	*
Ho	*	-3.44	*	*	2.26	0.67	0.22	*	0.97	*	0.02	*	*
La	-0.21	-6.05	*	-0.24	1.73	1.18	0.75	0.07	0.29	*	-1.08	*	*
Li	*	-1.78	*	*	0.44	*	-0.95	*	*	*	-0.40	*	-2.50
Lu	*	-1.87	*	*	-0.23	1.13	0.67	*	2.27	*	0.57	*	*
Mo	*	*	*	-0.74	*	*	1.46	-0.74	2.20	*	2.07	8.87	*
Nb	0.07	-0.87	*	-0.79	5.64	0.76	3.12	-1.36	-0.19	*	2.50	3.31	*
Nd	-0.74	-6.26	*	-1.76	-0.10	0.99	-0.01	-2.30	0.32	*	0.83	*	*
Pb	0.00	-2.66	*	-1.14	*	*	-0.15	0.67	4.11	*	0.56	3.44	1.33
Pr	*	-5.54	*	*	-1.38	0.66	0.69	*	-0.33	*	0.32	*	*
Rb	-0.75	0.22	*	-0.29	0.51	0.57	3.52	1.09	37.89	*	0.11	1.83	2.05
Sb	-1.82	*	*	6.52	*	*	-0.72	21.90	*	*	-0.03	*	*
Sm	4.20	-5.84	*	-0.55	4.13	0.66	0.32	-3.78	0.17	*	0.83	*	*
Sn	-2.71	*	*	5.16	*	-1.00	-2.31	76.80	*	*	0.40	*	*
Sr	-0.33	-4.11	-3.96	-0.40	0.54	3.60	4.95	0.52	0.18	*	0.46	0.05	1.97
Ta	*	-0.84	*	1.52	*	2.54	0.77	8.16	*	*	0.68	*	*
Tb	*	-2.63	*	*	-0.99	4.50	-0.73	*	1.69	*	-0.35	*	*
Th	1.45	-1.70	*	-0.62	-3.62	1.61	0.66	0.22	-0.64	*	-1.23	-1.04	*
Tl	*	*	*	*	*	*	-0.58	*	-2.86	*	-5.99	*	*
Tm	*	-2.50	*	*	23.33	1.35	0.38	*	2.20	*	0.17	*	*
U	1.39	-1.80	*	3.65	-1.46	1.83	0.60	3.77	-0.80	*	0.68	*	*
V	1.88	*	*	-3.69	2.03	*	0.04	-0.98	-0.49	*	-1.24	-0.49	14.04
W	*	*	*	-0.58	*	-1.47	-0.15	13.76	-1.97	*	0.00	*	*
Y	1.01	-5.29	*	0.07	0.79	-0.20	1.01	0.79	-0.50	*	-4.06	2.83	*
Yb	*	-3.22	*	-2.95	-0.54	0.40	0.24	*	0.70	*	0.54	*	*
Zn	0.05	*	*	-2.36	-0.75	*	-0.55	-3.06	-0.42	*	1.68	-1.66	1.84
Zr	0.57	3.20	*	-0.66	0.26	2.49	3.40	-0.02	-0.62	*	1.02	2.13	-2.06

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V71	V72	V73	V74	V75	V76	V77	V78	V80	V82	V83	V84	V85
SiO ₂	-0.16	0.41	-0.55	-1.03	-0.07	-1.42	-0.29	-1.55	0.57	-0.48	*	0.94	1.24
TiO ₂	-2.22	0.86	0.49	-5.60	0.25	-0.49	-0.12	-1.97	-5.91	0.49	*	0.32	0.12
Al ₂ O ₃	-0.23	0.20	-1.81	-0.41	-0.03	-1.17	-0.05	-0.64	1.81	2.95	*	2.79	0.84
Fe ₂ O _{3T}	-0.79	0.42	0.40	-4.85	0.42	1.08	0.24	-2.41	-5.62	0.84	*	-2.16	0.71
MnO	-0.67	0.13	0.27	-1.20	1.47	0.27	-0.80	0.27	-1.20	-2.41	*	-1.14	0.53
MgO	12.65	-1.13	-2.26	*	3.17	-0.01	-0.53	4.63	10.93	-5.71	*	12.52	-1.22
CaO	0.19	0.56	0.12	-0.44	0.06	-1.80	-0.14	-1.37	-1.93	-1.37	*	-0.16	1.62
Na ₂ O	2.02	0.00	0.77	*	-0.10	0.34	0.24	0.58	5.23	-0.38	*	-0.35	0.47
K ₂ O	1.06	0.14	-0.41	-1.77	-0.28	-0.86	0.49	2.57	2.05	-0.49	*	0.15	0.91
P ₂ O ₅	*	0.13	-7.49	18.51	0.52	0.13	-2.97	0.26	7.89	0.26	*	*	-1.42
LOI	-1.18	-2.01	*	*	-2.73	*	0.15	-0.91	-1.09	0.73	*	-18.05	-0.73
As	*	-1.20	4.83	*	0.77	*	*	-0.03	*	*	1.21	0.00	*
Ba	0.00	0.30	-0.59	-1.85	0.26	0.33	-0.18	-4.86	*	*	-0.39	-2.61	0.67
Be	0.00	-0.20	*	*	0.40	*	*	*	*	*	*	0.83	0.00
Bi	*	0.43	5.33	*	-0.21	*	*	*	*	*	*	-0.83	*
Ce	-0.69	0.31	-1.68	-2.24	-0.39	0.21	*	-3.15	*	*	-0.79	-2.39	-0.07
Co	*	0.09	12.35	824.85	0.60	*	*	*	*	*	1.89	-0.88	-0.34
Cr	0.06	-0.37	11.45	39.44	-4.05	1.35	9.33	-3.47	*	*	0.48	-1.76	-0.76
Cs	*	0.23	6.41	*	0.37	*	*	9.32	*	*	0.15	-0.84	-0.39
Dy	*	1.03	*	*	0.18	*	*	*	*	*	*	-1.47	-0.46
Er	*	0.69	*	*	-0.10	*	*	*	*	*	*	-1.41	0.00
Eu	*	0.00	*	11.15	0.71	*	*	*	*	*	*	-1.27	-0.20
Ga	*	-0.16	0.95	-3.56	0.48	*	*	-0.59	*	*	-0.25	1.10	0.55
Gd	*	1.38	*	27.54	-1.09	*	*	*	*	*	*	2.94	0.33
Hf	-0.09	0.35	10.34	*	-0.18	*	*	*	*	*	*	-2.16	-0.45
Hg	*	0.38	*	*	0.86	*	*	*	*	*	*	*	*
Ho	*	0.97	*	*	0.34	*	*	*	*	*	*	-1.17	-0.22
La	-0.05	0.62	-0.26	-2.20	1.08	0.45	*	-1.53	*	*	0.85	-1.44	-0.19
Li	-0.60	-1.03	*	*	0.05	*	*	*	*	*	*	-1.32	*
Lu	*	0.39	*	*	-0.12	*	*	*	*	*	*	-0.66	-0.12
Mo	*	1.03	-8.13	*	0.74	*	*	*	*	*	1.53	0.01	0.00
Nb	-0.14	0.10	1.87	-2.83	0.94	*	*	-1.57	*	*	0.44	-0.79	-1.17
Nd	*	0.25	-2.58	-2.51	1.66	*	*	*	*	*	*	-0.80	-0.21
Pb	-0.11	0.00	2.00	3.55	0.83	*	*	-1.07	*	*	0.88	0.61	-0.31
Pr	*	1.03	*	-5.89	0.67	*	*	*	*	*	*	-1.15	-0.22
Rb	-0.10	1.40	-0.21	-0.46	0.40	*	*	-1.34	*	*	-0.11	-2.72	-0.82
Sb	*	-1.62	*	*	0.29	*	*	7.30	*	*	*	-0.07	*
Sm	*	0.32	*	*	0.72	*	*	*	*	*	*	-1.70	-0.40
Sn	*	-1.48	19.35	*	-0.17	*	*	*	*	*	*	-1.29	-1.36
Sr	0.42	-2.17	0.05	-0.49	0.87	*	-1.04	-0.51	-19.17	*	-0.39	-1.25	0.95
Ta	*	-0.05	-6.45	*	-0.30	*	*	*	*	*	*	-0.10	-0.48
Tb	*	1.41	*	*	0.21	*	*	*	*	*	*	-0.43	-0.07
Th	*	0.19	-3.23	-1.71	0.30	*	*	1.14	*	*	-0.31	-1.58	-0.49
Tl	*	0.49	*	*	0.85	*	*	*	*	*	*	0.00	-4.55
Tm	*	0.51	*	*	-0.17	*	*	*	*	*	*	-0.73	-0.34
U	*	-0.80	-4.28	2.52	0.26	*	*	8.28	*	*	-0.80	-0.52	-0.26
V	*	1.20	2.78	*	-0.30	0.64	*	-4.75	*	*	-1.66	-1.04	3.80
W	*	-2.16	-14.06	*	0.56	*	*	*	*	*	*	-1.54	*
Y	-0.01	-0.05	-8.13	-1.19	-0.01	-0.82	*	-2.45	*	*	-0.69	-1.18	-0.88
Yb	*	-0.07	*	*	0.07	*	*	*	*	*	*	-1.12	-0.20
Zn	*	0.08	-2.03	-1.27	-0.37	0.65	5.15	-4.57	*	*	-1.43	-1.33	0.41
Zr	-0.59	2.87	0.37	-0.56	1.29	1.63	0.32	-2.95	-16.32	*	-0.57	-1.46	0.91

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V86	V87	V89	V90	V92	V93	V94	V95	V96	V97	V98	V99	V100
SiO ₂	1.27	0.81	-0.36	1.18	<u>0.48</u>	0.34	<u>0.60</u>	*	-0.85	1.02	<u>-0.21</u>	1.28	*
TiO ₂	0.49	-1.97	0.25	-0.80	<u>-0.37</u>	-0.74	<u>-0.68</u>	6.16	-1.35	1.95	<u>-0.86</u>	0.49	*
Al ₂ O ₃	1.42	0.14	-0.34	1.73	<u>0.05</u>	-0.74	<u>0.52</u>	*	0.71	3.55	<u>-0.05</u>	0.64	<u>-1.12</u>
Fe ₂ O ₃ T	-5.09	-2.02	0.11	-1.03	<u>-0.68</u>	0.84	<u>2.07</u>	*	4.14	2.05	<u>-0.02</u>	0.40	<u>0.64</u>
MnO	0.27	-0.80	0.27	0.80	<u>-1.20</u>	0.53	<u>-0.27</u>	*	5.61	0.78	<u>0.00</u>	0.27	<u>0.67</u>
MgO	<u>-5.71</u>	<u>-2.26</u>	<u>-2.78</u>	<u>-0.20</u>	<u>1.45</u>	<u>-38.44</u>	<u>2.31</u>	*	<u>-3.99</u>	<u>1.71</u>	<u>-1.56</u>	<u>13.24</u>	<u>0.59</u>
CaO	2.61	-2.86	0.69	1.94	<u>-0.56</u>	2.11	<u>-0.32</u>	*	-3.68	4.33	<u>-0.31</u>	0.62	<u>0.43</u>
Na ₂ O	-1.54	-2.02	-0.86	0.64	<u>0.34</u>	1.44	<u>4.13</u>	*	4.70	3.27	<u>0.19</u>	-0.48	<u>0.67</u>
K ₂ O	-0.49	1.19	-0.36	1.99	<u>-0.59</u>	2.26	<u>0.83</u>	*	1.28	1.55	<u>0.37</u>	0.96	<u>1.32</u>
P ₂ O ₅	<u>-15.25</u>	<u>-5.17</u>	<u>0.26</u>	<u>6.24</u>	<u>0.13</u>	<u>-4.39</u>	<u>-4.91</u>	*	<u>-23.01</u>	<u>-4.78</u>	*	<u>0.26</u>	*
LOI	<u>-10.75</u>	<u>-0.36</u>	<u>0.87</u>	<u>-21.87</u>	<u>1.46</u>	<u>0.00</u>	*	*	0.73	*	<u>-0.36</u>	2.55	*
As	*	*	*	*	*	*	<u>0.19</u>	*	<u>19.27</u>	*	*	-0.71	*
Ba	1.33	*	-2.11	-0.29	*	<u>353.02</u>	<u>-13.52</u>	0.22	*	0.32	<u>1.03</u>	0.84	<u>0.18</u>
Be	-0.34	*	*	-1.67	*	*	<u>-0.52</u>	*	*	*	*	0.46	*
Bi	*	*	*	0.05	*	*	<u>0.00</u>	*	*	*	*	-1.70	<u>0.66</u>
Ce	1.22	*	-1.80	-7.61	*	<u>10.53</u>	<u>-0.24</u>	1.22	*	*	*	0.78	<u>0.11</u>
Co	1.63	*	<u>4.86</u>	<u>4.45</u>	*	<u>132.37</u>	<u>-0.08</u>	1.63	*	*	*	<u>3.86</u>	<u>0.60</u>
Cr	<u>11.25</u>	*	<u>-2.74</u>	<u>0.54</u>	*	<u>97.91</u>	<u>-1.09</u>	-3.22	*	*	*	<u>3.14</u>	*
Cs	2.20	*	*	-0.57	*	<u>10.77</u>	<u>-2.92</u>	0.45	*	*	*	-0.01	<u>-0.28</u>
Dy	0.26	*	-1.41	-0.41	*	*	<u>0.08</u>	-0.22	*	*	*	0.22	<u>0.00</u>
Er	0.86	*	-1.24	0.46	*	*	<u>-0.05</u>	-0.13	*	*	*	0.00	<u>-0.10</u>
Eu	0.23	*	-1.27	-0.68	*	*	<u>-0.08</u>	-0.06	*	*	*	0.90	<u>0.14</u>
Ga	1.23	*	0.05	4.67	*	<u>0.95</u>	<u>-1.10</u>	*	<u>3.68</u>	*	*	-0.25	<u>0.48</u>
Gd	<u>7.00</u>	*	<u>-1.56</u>	<u>-0.21</u>	*	*	<u>-1.01</u>	<u>-0.99</u>	*	*	*	-0.73	<u>0.56</u>
Hf	1.75	*	-1.92	1.89	*	<u>36.64</u>	<u>-1.73</u>	-1.88	*	*	*	1.09	*
Hg	*	*	*	*	*	*	*	*	*	*	*	*	*
Ho	-0.12	*	-0.91	-0.91	*	*	<u>0.27</u>	0.33	*	*	*	0.20	<u>0.18</u>
La	1.56	*	-1.07	-2.22	*	<u>12.32</u>	<u>-0.04</u>	1.23	*	*	*	1.41	<u>0.04</u>
Li	0.89	*	-1.15	-1.70	*	*	<u>0.35</u>	3.75	*	*	*	*	<u>-0.19</u>
Lu	0.11	*	-0.64	-0.23	*	*	<u>0.39</u>	0.52	*	*	*	0.11	<u>0.05</u>
Mo	-2.51	*	*	-1.96	*	<u>91.62</u>	<u>-0.26</u>	3.47	<u>14.04</u>	*	*	1.92	<u>0.18</u>
Nb	4.57	*	0.71	-2.70	*	<u>-9.98</u>	<u>-0.29</u>	3.60	<u>-0.82</u>	*	*	0.44	<u>0.40</u>
Nd	4.30	*	-1.34	-1.95	*	<u>27.96</u>	<u>0.01</u>	2.62	*	*	*	<u>3.64</u>	<u>0.09</u>
Pb	3.33	*	5.77	0.13	*	<u>25.76</u>	<u>1.33</u>	2.00	<u>2.44</u>	*	*	1.91	<u>2.89</u>
Pr	2.78	*	-1.49	-2.71	*	*	<u>0.03</u>	0.56	*	*	*	0.15	<u>0.10</u>
Rb	1.23	*	-0.35	0.11	*	<u>65.90</u>	<u>-0.90</u>	2.09	0.51	*	<u>6.21</u>	0.53	<u>-0.10</u>
Sb	*	*	*	-0.36	*	*	<u>-0.23</u>	0.83	*	*	*	1.46	<u>0.00</u>
Sm	0.81	*	-1.25	-2.11	*	<u>45.29</u>	<u>-0.01</u>	0.17	*	*	*	0.05	<u>0.01</u>
Sn	*	*	*	0.07	*	*	<u>0.57</u>	22.72	*	*	*	0.97	<u>-0.17</u>
Sr	1.55	12.00	-2.37	-0.46	*	<u>-21.34</u>	<u>-0.19</u>	4.84	<u>-0.29</u>	2.24	<u>1.02</u>	1.66	<u>0.40</u>
Ta	4.00	*	-0.55	-0.38	*	*	<u>2.66</u>	0.64	*	*	*	-0.82	*
Tb	2.11	*	-1.83	0.56	*	*	<u>-0.30</u>	-0.53	*	*	*	-0.28	<u>-0.35</u>
Th	3.21	*	-1.97	-4.42	*	<u>24.00</u>	<u>-1.12</u>	1.87	3.67	*	*	1.30	<u>0.49</u>
Tl	*	*	*	*	*	*	<u>-1.37</u>	5.09	*	*	*	*	<u>1.96</u>
Tm	0.34	*	-1.23	-0.68	*	*	<u>0.00</u>	*	*	*	*	*	<u>0.00</u>
U	2.07	*	-3.12	0.24	*	<u>-1.46</u>	<u>-0.34</u>	1.08	<u>11.25</u>	*	*	0.59	<u>1.39</u>
V	2.18	*	-0.84	7.34	*	<u>105.97</u>	<u>-0.04</u>	2.71	*	*	*	0.54	<u>0.64</u>
W	*	*	*	0.76	*	*	<u>0.51</u>	*	3.64	*	*	0.61	*
Y	1.28	*	-1.23	-1.09	*	<u>19.45</u>	<u>-0.54</u>	5.99	<u>8.91</u>	*	*	-0.82	*
Yb	0.13	*	-1.05	0.00	*	*	<u>0.30</u>	0.60	*	*	*	0.60	<u>0.07</u>
Zn	-1.64	*	-3.44	-3.93	*	<u>1.57</u>	<u>0.12</u>	3.11	<u>-3.57</u>	*	*	0.63	<u>-0.24</u>
Zr	2.59	*	-1.96	0.82	*	<u>16.61</u>	<u>-4.87</u>	0.48	1.81	4.90	<u>0.07</u>	1.52	*

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016

Lab Code	V101	V102	V103	V104	V105	V106	V107	V108	V109	V111	V113	V114	V115
SiO ₂	-0.88	<u>-0.07</u>	0.18	-0.84	<u>-1.28</u>	*	-0.32	<u>1.32</u>	<u>0.03</u>	*	*	0.20	<u>0.05</u>
TiO ₂	0.49	<u>0.86</u>	<u>-0.37</u>	<u>-0.99</u>	<u>-1.60</u>	*	<u>-0.74</u>	<u>-3.51</u>	<u>-0.53</u>	0.99	*	-0.99	<u>-0.12</u>
Al ₂ O ₃	-0.18	<u>-0.05</u>	<u>0.50</u>	<u>-0.34</u>	<u>0.52</u>	*	<u>-0.18</u>	<u>-2.89</u>	<u>0.28</u>	*	*	-0.16	<u>0.76</u>
Fe ₂ O _{3T}	-0.26	<u>0.31</u>	<u>0.97</u>	<u>-0.90</u>	<u>0.31</u>	*	<u>0.84</u>	<u>-3.65</u>	<u>0.10</u>	*	-0.26	<u>-1.23</u>	<u>-0.24</u>
MnO	-1.07	<u>0.13</u>	<u>0.00</u>	<u>-1.20</u>	<u>0.13</u>	*	<u>0.00</u>	<u>-2.41</u>	<u>0.03</u>	0.80	0.53	<u>-0.53</u>	<u>0.13</u>
MgO	-2.26	<u>0.59</u>	<u>-1.48</u>	<u>-3.72</u>	<u>-7.16</u>	*	<u>-3.99</u>	<u>1.80</u>	<u>-0.49</u>	*	4.45	<u>-0.18</u>	<u>-2.85</u>
CaO	-0.13	<u>0.06</u>	<u>-0.93</u>	<u>-0.93</u>	<u>-2.80</u>	*	<u>-0.38</u>	<u>5.41</u>	<u>0.03</u>	*	3.85	<u>-1.06</u>	<u>-0.44</u>
Na ₂ O	0.29	<u>-0.19</u>	<u>-1.63</u>	<u>1.73</u>	<u>-0.43</u>	*	<u>-0.86</u>	<u>2.88</u>	<u>-0.59</u>	*	*	<u>-0.05</u>	<u>-1.44</u>
K ₂ O	-0.41	<u>0.10</u>	<u>-3.07</u>	<u>-0.17</u>	<u>-0.17</u>	*	<u>-0.34</u>	<u>-2.00</u>	<u>0.02</u>	*	*	<u>-0.36</u>	<u>-1.73</u>
P ₂ O ₅	0.26	<u>0.13</u>	*	<u>-3.75</u>	<u>0.13</u>	*	<u>-4.39</u>	<u>4.05</u>	<u>-1.19</u>	*	*	<u>-1.03</u>	<u>-2.58</u>
LOI	-1.28	<u>0.91</u>	<u>0.73</u>	<u>0.00</u>	<u>-2.01</u>	<u>1.73</u>	<u>1.82</u>	<u>-4.37</u>	<u>-2.95</u>	*	*	1.91	<u>1.09</u>
As	0.93	*	<u>0.46</u>	<u>-1.63</u>	<u>1.34</u>	<u>4.18</u>	*	*	*	*	0.78	*	*
Ba	-1.33	*	<u>0.74</u>	<u>-0.04</u>	<u>-8.94</u>	<u>-1.53</u>	0.44	<u>-0.66</u>	<u>0.58</u>	1.03	2.86	*	<u>1.99</u>
Be	*	*	*	*	<u>-0.60</u>	<u>-1.76</u>	*	*	<u>0.24</u>	1.19	*	*	*
Bi	*	*	*	*	*	*	*	*	<u>-0.09</u>	0.63	*	*	*
Ce	2.42	*	*	<u>-0.22</u>	*	<u>-3.75</u>	0.50	*	<u>-1.26</u>	1.42	2.69	*	<u>0.41</u>
Co	*	*	*	<u>3.60</u>	<u>10.46</u>	<u>7.56</u>	*	*	<u>0.43</u>	0.35	-0.83	*	<u>0.22</u>
Cr	-3.99	*	<u>1.09</u>	<u>-0.37</u>	<u>-4.57</u>	<u>-4.77</u>	0.64	<u>5.47</u>	<u>0.12</u>	0.59	-0.94	*	<u>3.67</u>
Cs	*	*	*	<u>-1.37</u>	*	*	0.22	*	<u>0.23</u>	0.16	1.09	*	<u>-0.28</u>
Dy	*	*	*	*	*	<u>0.47</u>	1.44	*	<u>-0.05</u>	1.07	-0.30	*	<u>-0.98</u>
Er	*	*	*	*	*	<u>0.70</u>	0.26	*	<u>-0.20</u>	1.32	-0.91	*	*
Eu	*	*	*	*	*	<u>2.02</u>	1.35	*	<u>-0.25</u>	1.24	-0.11	*	*
Ga	-1.77	*	<u>-0.88</u>	<u>-0.20</u>	*	<u>-0.33</u>	<u>-15.37</u>	<u>-4.96</u>	<u>-0.02</u>	1.14	2.27	*	<u>-0.88</u>
Gd	*	*	*	*	*	<u>8.86</u>	<u>-0.89</u>	*	<u>-1.25</u>	<u>-2.21</u>	3.54	*	*
Hf	*	*	<u>5.17</u>	<u>2.81</u>	*	<u>2.69</u>	0.11	*	<u>-0.36</u>	1.23	-1.88	*	<u>-1.68</u>
Hg	*	*	*	*	*	<u>-2.78</u>	*	*	*	*	*	*	*
Ho	*	*	*	*	*	<u>0.61</u>	1.15	*	<u>-0.20</u>	0.99	-0.02	*	<u>-0.61</u>
La	3.38	*	*	<u>1.00</u>	*	<u>-0.33</u>	0.97	*	<u>-1.40</u>	1.23	2.49	*	<u>-0.05</u>
Li	*	*	<u>0.46</u>	*	<u>0.22</u>	*	*	*	<u>-0.10</u>	0.64	*	*	<u>-1.90</u>
Lu	*	*	*	*	*	<u>-1.60</u>	0.79	*	<u>0.06</u>	1.13	0.62	*	*
Mo	*	*	*	<u>0.00</u>	<u>8.87</u>	<u>-4.16</u>	*	*	<u>1.03</u>	<u>-0.30</u>	*	*	*
Nb	0.26	*	<u>-0.68</u>	<u>-0.33</u>	*	<u>15.10</u>	0.12	<u>-1.22</u>	<u>0.66</u>	3.76	3.06	*	<u>-1.22</u>
Nd	0.45	*	*	<u>-1.91</u>	*	<u>-0.53</u>	0.83	*	<u>-0.50</u>	2.02	1.11	*	<u>3.80</u>
Pb	-0.22	*	<u>-0.44</u>	<u>0.33</u>	<u>-1.55</u>	<u>-2.96</u>	1.36	<u>0.22</u>	<u>0.49</u>	3.55	-0.75	*	<u>-0.67</u>
Pr	*	*	*	*	*	<u>1.32</u>	0.86	*	<u>-0.63</u>	1.92	1.27	*	*
Rb	-1.50	*	<u>-0.25</u>	<u>-0.17</u>	*	<u>-3.28</u>	0.04	<u>-1.25</u>	<u>0.13</u>	0.51	0.68	*	<u>-0.25</u>
Sb	*	*	*	<u>-0.91</u>	*	<u>-2.06</u>	*	*	<u>0.14</u>	*	*	*	*
Sm	*	*	*	<u>-2.37</u>	*	<u>1.21</u>	1.03	*	<u>-0.27</u>	1.12	0.28	*	*
Sn	*	*	*	<u>-2.71</u>	*	<u>-3.28</u>	*	*	<u>0.61</u>	<u>-0.01</u>	*	*	*
Sr	0.34	*	<u>-0.22</u>	<u>0.06</u>	<u>1.12</u>	<u>-17.03</u>	0.97	<u>-0.27</u>	<u>0.00</u>	2.20	0.36	*	<u>-2.02</u>
Ta	*	*	*	*	*	<u>9.39</u>	-0.53	*	<u>0.14</u>	1.37	0.71	*	*
Tb	*	*	*	*	*	<u>2.00</u>	0.42	*	<u>-0.62</u>	0.00	2.87	*	<u>0.63</u>
Th	0.22	*	<u>-1.23</u>	<u>0.44</u>	*	<u>-0.55</u>	1.09	<u>-3.73</u>	<u>-0.15</u>	3.90	2.68	*	<u>1.07</u>
Tl	*	*	*	<u>-2.46</u>	*	*	*	*	<u>0.29</u>	4.87	*	*	*
Tm	*	*	*	*	*	<u>-0.19</u>	0.34	*	<u>-0.09</u>	1.01	0.47	*	*
U	1.37	*	<u>3.51</u>	<u>-0.16</u>	*	<u>1.46</u>	0.01	*	<u>0.28</u>	1.65	1.01	*	<u>4.21</u>
V	-0.98	*	<u>-2.37</u>	<u>-1.70</u>	<u>1.02</u>	<u>-0.58</u>	4.29	*	<u>0.58</u>	2.71	-0.48	*	<u>3.27</u>
W	*	*	*	<u>0.81</u>	<u>5.62</u>	*	*	*	<u>0.10</u>	*	*	*	*
Y	-1.64	*	<u>0.40</u>	<u>-0.21</u>	<u>-2.04</u>	<u>-0.66</u>	0.73	*	<u>0.16</u>	2.33	1.53	*	*
Yb	*	*	*	*	*	<u>0.12</u>	<u>-0.27</u>	*	<u>-0.19</u>	0.94	-0.20	*	*
Zn	-0.75	*	<u>-2.30</u>	<u>-1.75</u>	<u>-2.43</u>	<u>-1.88</u>	0.80	<u>-0.63</u>	<u>0.73</u>	0.03	-4.55	*	<u>0.65</u>
Zr	1.20	*	<u>-0.17</u>	<u>-0.58</u>	*	*	0.76	<u>2.90</u>	<u>0.00</u>	3.36	-0.57	*	<u>-0.73</u>


Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.

Table 3 - GeoPT39A Z-scores for Nepheline syenite, MNS-1. 10/06/2016


Lab Code	V116	V117	V118	V119	V120	V121	V122	V123	V124	V125	V126
SiO ₂	-0.23	0.17	<u>0.02</u>	-0.68	-0.66	-0.32	-0.83	0.41	-0.01	*	-0.79
TiO ₂	-0.99	0.49	<u>3.94</u>	<u>0.37</u>	-0.12	<u>0.25</u>	-3.33	-2.22	<u>0.25</u>	-5.63	0.49
Al ₂ O ₃	<u>0.05</u>	0.64	<u>0.73</u>	<u>0.44</u>	0.21	<u>0.72</u>	-1.45	-0.12	-0.66	-0.22	-1.59
Fe ₂ O _{3T}	<u>-0.46</u>	1.06	-0.68	<u>0.53</u>	0.18	<u>0.07</u>	-0.72	-1.12	<u>2.95</u>	-0.96	1.28
MnO	-1.20	9.36	-1.87	<u>-0.27</u>	-1.34	-0.40	-1.07	-3.88	-1.20	0.27	0.00
MgO	-2.85	-29.83	<u>-2.85</u>	-7.16	-2.26	<u>0.76</u>	0.15	-0.27	<u>0.59</u>	<u>12.73</u>	-1.75
CaO	-0.93	1.37	-0.31	<u>-0.06</u>	-0.13	<u>0.78</u>	-3.48	-2.05	<u>5.04</u>	0.84	0.67
Na ₂ O	<u>1.01</u>	0.00	-0.67	<u>0.77</u>	-0.38	<u>-0.20</u>	-1.96	-0.02	-0.62	0.03	-0.77
K ₂ O	-0.28	4.33	-1.01	<u>0.29</u>	-0.03	<u>-0.02</u>	-0.31	-0.42	-3.80	-2.52	-0.18
P ₂ O ₅	<u>0.13</u>	0.26	-0.26	<u>0.91</u>	-0.51	<u>-0.26</u>	-5.17	<u>0.13</u>	-0.64	*	*
LOI	<u>0.46</u>	0.36	-2.46	*	2.19	<u>0.77</u>	1.09	-0.64	-2.55	*	5.65
As	*	-0.82	-1.04	<u>0.03</u>	*	*	-3.44	*	*	-0.73	1.12
Ba	-1.00	*	-0.74	-1.44	-0.22	2.11	-1.99	<u>1.33</u>	<u>0.18</u>	2.22	0.24
Be	*	*	<u>1.02</u>	*	*	*	*	-2.83	<u>0.90</u>	*	-0.89
Bi	*	*	-1.40	*	*	*	*	-2.13	*	*	-0.20
Ce	-0.14	-19.40	-1.34	<u>4.57</u>	-2.08	*	-1.58	<u>0.27</u>	-0.04	0.92	0.13
Co	*	*	<u>5.70</u>	*	*	<u>-2.40</u>	*	<u>1.89</u>	<u>0.13</u>	-0.51	-0.88
Cr	<u>-1.99</u>	*	-0.73	<u>-1.74</u>	0.13	<u>-4.57</u>	3.73	<u>-1.92</u>	<u>0.06</u>	0.44	1.72
Cs	*	*	-0.52	*	*	*	*	-2.15	1.02	0.45	-0.93
Dy	*	*	-0.72	<u>-0.89</u>	*	*	*	-0.63	<u>0.15</u>	2.59	0.37
Er	*	*	<u>2.96</u>	<u>-0.43</u>	*	*	*	<u>0.49</u>	-0.26	*	-0.50
Eu	*	*	<u>1.50</u>	<u>-1.38</u>	*	*	*	<u>2.06</u>	-0.14	-0.17	0.17
Ga	*	*	<u>0.67</u>	-0.43	-0.86	<u>-0.88</u>	-1.77	<u>0.02</u>	-0.20	*	1.11
Gd	<u>15.17</u>	*	<u>7.77</u>	-1.24	*	*	2.05	<u>2.29</u>	<u>0.51</u>	*	<u>0.09</u>
Hf	*	*	*	<u>-2.72</u>	*	<u>-3.59</u>	12.10	-0.88	-0.12	0.00	<u>0.06</u>
Hg	*	*	*	*	*	*	*	*	*	*	*
Ho	*	*	-0.56	<u>-0.69</u>	*	*	*	-0.06	-0.06	*	0.20
La	-5.26	-16.97	-1.04	<u>5.56</u>	-4.72	*	-1.58	<u>1.33</u>	<u>0.45</u>	0.52	-0.74
Li	*	*	<u>0.74</u>	*	*	<u>0.01</u>	*	*	<u>1.04</u>	*	-0.79
Lu	*	*	<u>0.92</u>	<u>-0.80</u>	*	*	*	-0.29	<u>0.39</u>	-1.26	0.28
Mo	*	*	<u>-0.06</u>	*	*	*	*	-2.05	<u>1.29</u>	*	-0.31
Nb	*	*	-0.79	<u>-1.49</u>	-0.28	*	-0.82	-2.83	-2.83	*	-1.83
Nd	*	*	<u>-0.81</u>	<u>-3.57</u>	-0.65	*	-1.75	<u>0.49</u>	<u>0.91</u>	0.73	0.16
Pb	<u>0.22</u>	*	-1.05	<u>0.33</u>	0.00	<u>-8.22</u>	0.00	<u>0.00</u>	-0.56	*	<u>0.56</u>
Pr	*	*	<u>-0.88</u>	<u>-3.31</u>	*	*	*	-0.03	<u>0.24</u>	*	<u>0.08</u>
Rb	<u>2.41</u>	*	<u>0.11</u>	<u>-0.82</u>	2.23	*	0.51	-1.25	<u>0.18</u>	-0.92	-1.45
Sb	*	*	*	*	*	*	*	-3.41	*	<u>0.00</u>	<u>0.09</u>
Sm	*	*	<u>-0.94</u>	<u>-2.22</u>	*	*	*	-0.29	-0.07	-0.46	0.31
Sn	*	*	*	*	*	*	*	-1.24	<u>0.65</u>	*	3.56
Sr	<u>12.88</u>	-33.87	-0.11	<u>-1.41</u>	1.50	<u>1.64</u>	-3.31	-0.47	-2.73	2.38	1.70
Ta	*	*	*	*	*	*	*	-4.76	*	-1.63	0.79
Tb	*	*	<u>3.41</u>	<u>-1.13</u>	*	*	*	<u>1.69</u>	<u>0.42</u>	-1.27	-0.64
Th	*	*	<u>-0.31</u>	<u>-4.09</u>	-0.16	*	0.22	-0.08	<u>0.88</u>	1.33	-0.20
Tl	*	*	<u>-0.13</u>	*	*	*	*	-0.47	<u>0.08</u>	*	*
Tm	*	*	<u>0.54</u>	<u>-0.85</u>	*	*	*	-0.17	<u>0.00</u>	*	-0.67
U	*	*	<u>-1.07</u>	<u>-3.55</u>	9.84	*	-8.52	-2.35	<u>0.26</u>	-0.61	0.54
V	<u>2.14</u>	*	-1.90	<u>-2.00</u>	-2.49	*	-0.98	-3.13	<u>1.39</u>	1.28	-0.83
W	*	*	*	*	*	*	*	-1.95	<u>2.20</u>	-0.91	<u>0.47</u>
Y	<u>5.26</u>	*	<u>1.07</u>	<u>-2.73</u>	1.60	<u>-1.23</u>	4.85	-1.23	<u>0.32</u>	*	<u>0.29</u>
Yb	*	*	<u>0.74</u>	<u>-1.41</u>	*	*	*	-0.47	-0.07	-0.94	-0.01
Zn	<u>4.25</u>	*	<u>-2.29</u>	<u>-1.27</u>	-2.80	<u>-0.24</u>	-0.49	-2.43	-3.07	0.54	3.03
Zr	<u>1.65</u>	*	-0.17	<u>0.68</u>	0.70	<u>0.49</u>	-2.12	-0.26	-0.81	1.15	2.36

Bold entries are Data Quality 1 - Underlined entries are Data Quality 2 - Entries in italics are derived from Provisional Values.


GeoPT39A - Barchart for SiO₂




GeoPT39A - Barchart for TiO₂




GeoPT39A - Barchart for Al₂O₃




GeoPT39A - Barchart for Fe₂O₃T















GeoPT39A - Barchart for MnO















GeoPT39A - Barchart for MgO














GeoPT39A - Barchart for Mo




GeoPT39A - Barchart for Nb




GeoPT39A - Barchart for Nd




GeoPT39A - Barchart for Pb















GeoPT39A - Barchart for Pr




GeoPT39A - Barchart for Rb









GeoPT39A - Barchart for Y



GeoPT39A - Barchart for Yb



GeoPT39A - Barchart for Zn



GeoPT39A - Barchart for Zr







Figure 1: GeoPT39A - Nepheline syenite, MNS-1. Data distribution charts for elements for which values were assigned or provisional values given for guidance. Horizontal lines show the limits for $-2 < z' < 2$ for pure geochemistry labs (solid lines) and $-2 < z' < 2$ for applied geochemistry labs (pecked lines).


GeoPT39A - Barchart for Fe(II)O

GeoPT39A - Barchart for H₂O+


GeoPT39A - Barchart for Ag




GeoPT39A - Barchart for B




GeoPT39A - Barchart for Br




GeoPT39A - Barchart for C(tot)




GeoPT39A - Barchart for Cd




GeoPT39A - Barchart for Cl




GeoPT39A - Barchart for Cu




GeoPT39A - Barchart for F



GeoPT39A - Barchart for Ge



GeoPT39A - Barchart for Ni







Figure 2: GeoPT39A - Nepheline syenite, MNS-1. Data distribution charts provided for information only for elements for which values could not be assigned.

Multiple Z-Score Chart for GeoPT39A




Figure 3: GeoPT39A - Nepheline syenite, MNS-1. Multiple z-score charts for laboratories participating in the GeoPT39 A round. Symbols indicate whether or not an elemental result complies with the $-2 < z < +2$ criteria (see key).

Multiple Z-Score Chart for GeoPT39A




Figure 3: GeoPT39A - Nepheline syenite, MNS-1. Multiple z-score charts for laboratories participating in the GeoPT39 A round. Symbols indicate whether or not an elemental result complies with the $-2 < z < +2$ criteria (see key).

Multiple Z-Score Chart for GeoPT39A




Figure 3: GeoPT39A - Nepheline syenite, MNS-1. Multiple z-score charts for laboratories participating in the GeoPT39 A round. Symbols indicate whether or not an elemental result complies with the $-2 < z < +2$ criteria (see key).

Multiple Z-Score Chart for GeoPT39A




Figure 3: GeoPT39A - Nepheline syenite, MNS-1. Multiple z-score charts for laboratories participating in the GeoPT39 A round. Symbols indicate whether or not an elemental result complies with the $-2 < z < +2$ criteria (see key).